




टीकापुर नगरपालिका
नगर कार्यपालिकाको कार्यालय

टीकापुर, कैलाली
सुदूरपश्चिम प्रदेश



आ.व. २०८१/०८२ को टीकापुर नगरपालिकाको स्वीकृत
नगर दररेट

(मिति २०८१/०४/२८ को कार्यपालिका बैठकबाट स्वीकृत)

टीकापुर नगरपालिकाको आ.व. २०८१/०८२ का लागि स्वीकृत नगर दररेट
(मिति २०८१/०४/२८ गतेको कार्यपालिका बैठकबाट स्वीकृत)

ज्याला दररेट :

क्र.सं.	विवरण	इकाई	आ.व. २०७९/८० को दररेट	आ.व. २०८०/८१ को दररेट	आ.व. २०८१/०८२ को दररेट	कैफियत
१	अदक्ष (ज्यामी)	श्रमदिन	६७५	६८०	७००	
२	दक्ष (मिस्त्री)	"	९५०	९५५	१०५०	
३	चौकिदार	"	६७५	६८०	७००	
४	क्याम्प वर्कर	"	६७५	६८०	७००	
५	चैनमेन	"	६७५	६८०	७००	
६	विजुलीको लाइनमा (तार तान्ने) काम गर्ने ज्यामी	"		७३०	७४०	
७	विजुलीको मिटर रिडर (तालिम प्राप्त)	"		७३०	७४०	
८	प्लम्बर	"	९५०	९५५	९६५	
९	प्लम्बिड हेल्पर	"	६७५	६८०	७००	
१०	हेल्पर (खलासी)	"	६७५	६८०	७००	
११	सुपरभाईजर (साधारण)	"	६७५	६८०	७००	
१२	सिनियर सुपरभाईजर (तालीम प्राप्त)	"	७००	७०५	७१५	
१३	सडक सुपरभाईजर	"	६७५	६८०	७००	
१४	लेन्थ वर्कर दैनिक ज्यालादारीमा	"	६७५	६८०	७००	
१५	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	"	६७५	६८०	७००	
१६	सडक सुपरभाईजर (रोड बोर्ड तर्फ करारमा)	"	६७५	६८०	७००	
१७	सिचाइ ढाल्ना	"	६७५	६८०	७००	
१८	सिचाइ गेट अपरेटर	"	६७५	६८०	७००	
१९	डाईभर	"	६७५	६८०	७००	
२०	अमिन	"				
२१	कम्प्युटर अपरेटर	"				
२२	इन्जिनियर	"				

२०८१/०४/२८

सिद्धि प्रशासकीय अधिकारी



नगर प्रमुख
नगर प्रमुख कार्यालय



नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय

नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय

नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय
नगर प्रमुख कार्यालय

२३	सब-ईन्जिनियर र असिस्टेन्ट सब ईन्जिनियर	"	"			
२४	ल्याब टेक्निसियन (ना.सु. वा खरिदार सरह)	"	"			
२५	इन्विपमेन्ट अपरेटर					
२५.१	हेवि	श्रमदिन				
२५.२	लाइट	"				
२६	नाला तथा सेप्टी टंकी सफा गर्ने कार्य	"	"	५९०	५९५	९०५
२६.१	वेवारिसे लासको सद्गती गर्ने कार्य	१ पटक	१४००			१४४०
२७	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine					
२७.०१	Excavation in Ordinary soil	cum	७२	७३	७३	७३
२७.०२	Excavation in Hard soil	cum	९७	९८	९८	९८
२७.०३	Excavation in Ordinary Rock	cum	२९५	२९८	२९८	२९८
२७.०४	Excavation in Medium Rock	cum	४६०	४६५	४६५	४६५
२७.०५	Excavation in Hard Rock	cum	१७३०	१७३५	१७३५	१७३५
२७.०६	Landslide clearance	cum	७२	७३	७३	७३
२७.०७	Landslide clearance (rocks to be broken)	cum	१०२	१०४	१०४	१०४
२८	मानिस ब्वारा ढुवानी गर्ने					
२८.०१	सजिलो भारी पहाडको लागी	रु/केजी/कि.मी	१.६९	१.७२	१.७३	१.७३
२८.०२	असजिलो भारी	"	१.८३	१.८६	१.८७	१.८७
२८.०३	सजिलो भारी तराईको लागी	"	१.२७	१.२९	१.३	१.३
२८.०४	असजिलो भारी	"	१.४	१.४२	१.४३	१.४३
२८.०५	भोलुंगे पुलका लट्ठा बोक्ने	"	२.८७	२.९२	२.९४	२.९४
२८.०६	एच.डि.पि./जि.आई पाईप बोक्ने	"	२.८७	२.९२	२.९४	२.९४
२८.०७	विरुवा ढुवानी पहाडमा	"	२.७४	२.७९	२.८१	२.८१
२८.०८	विरुवा ढुवानी तराइमा	"	२.१६	२.२०	२.२२	२.२२
२९	गाडा, रिक्सा र ठेलाब्वारा ढुवानी गर्ने कार्य					

रामबहादुर शर्मा
रामबहादुर शर्मा

रामबहादुर शर्मा
रामबहादुर शर्मा



३४.०२	ख) तराईमा गोलिया	"	१४.७	१४.९९	१५.१३
३४.०३	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	४०८०	४१००	४१४१
३४.०४	घ) तराई क्षेत्रमा दाउरा	चट्टा	६८०	६९०	६९६
३५	पाईलिंग	"	१६.५	१६.८	१६.९
३६	लोडिंग (गोलिया)	"	२२	२२.४०	२२.६०
३७	अनलोडिंग	"	१३.५	१३.७६	१३.८८
३८	ढुवानी (वन जंगल क्षेत्रमा) गोलिया				
३८.०१	० देखि ३ कि.मि. सम्म	घन फुट	३६.००	३६.७१	३७.०७
३८.०२	४ देखि ७ कि.मि. सम्म	"	४०.००	४०.७०	४१.१०
३८.०३	८ देखि १२ कि.मि. सम्म	"	४१.००	४१.८०	४२.२१
३८.०४	१३ देखि १६ कि.मि. सम्म	"	४४.००	४४.८०	४५.२४
३८.०५	१७ देखि २० "	"	४९.००	४९.९०	५०.३०
३८.०६	२१ देखि २४ "	"	४९.००	४९.९०	५०.३०
३८.०७	२५ देखि ३० "	"	५६.००	५७.१०	५७.६०
३८.०८	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	२.००	२.०४	२.०६
३९	ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)				
३९.०१	० देखि ५ कि.मि. सम्म	घन फुट	१९.५७	१९.९६	२०.१५
३९.०२	६ देखि १० कि.मि. सम्म	"	२३.००	२३.४६	२३.६९
३९.०३	११ देखि १५ कि.मि. सम्म	"	२५.००	२५.५०	२५.७५
३९.०४	१६ देखि २० कि.मि. सम्म	"	३२.००	३२.६४	३२.९६
३९.०५	२१ देखि २५ कि.मि. सम्म	"	३४.००	३४.६८	३५.०२
३९.०६	२६ देखि ३० कि.मि. सम्म	"	३५.००	३५.७०	३६.०५
३९.०७	३१ देखि ४० कि.मि. सम्म	"	३६.००	३६.७२	३७.०८
३९.०८	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	१.९९	२.०२	२.०४
४०	चिरान पाईलिंग	घ.मी.	१६.५०	१६.८३	१६.९९
४१	चिरान लोडिंग	"	१५.२२	१५.५२	१५.६७
४२	चिरान अनलोडिंग	"	११.०१	११.२३	११.३४
४३	दाउरा कटानी संबन्धि				


प्रमुख प्रशासक तथा
उपनिर्देशक




रामलाल ज्जोरा थाप
सम्पद प्रमुख



४३.१	कटान मुछान (२० X ५ X ५) फिट	चट्टा	५४५०.००	५४५०.००	५४०४.००
४३.२	लोड अनलोड	"	२८८०.००	२९३७.००	२९६६.००
४३.३	चट्टा निर्माण	"	१९६५.००	२००४.००	२०२४.००
४३.४	ढुवानी २५ कि.मि. सम्म	"	५५८२.००	५५८२.००	५६३७.००
४३.५	ढुवानी २५ कि.मि. भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	२७१.००	२७१.००	२७३.००
४४	हेरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	६.३८	६.३८	६.४४
४५	चिरान उत्पादन गर्ने कार्य	घ.फी.	७३.००	७३.००	७३.७३
४६	उत्पादित चिरान वाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	२९.००	२९.००	२९.२९
४७	अन्य साइज तथा सह उत्पादन कार्य	प्रति क्वीन्टल	९४.००	९४.००	९४.९४
४८	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	४६.००	४६.००	४६.४६
४९	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	१५.५०	१५.५०	१५.९५
५०	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	१५.५०	१५.५०	१५.९५
५१	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	२२१.००	२२५.००	२२७.००
५२	दाउरा काठमाण्डौ सिपमेण्ट	क्विटल	७१३.००	७२०.००	७२७.००
५३	भाडाको स.मिलबाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	१०७.००	१०८.००	१०९.००
५४	घाटगढी स्थानबाट स.मिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	३६.००	३६.७२	३७.०८
५५	घाटगढी स्थानबाट स.मिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	८.००	८.१६	८.२४
५६	ट्रक जान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया भिकाउने	घ.फी.	१३.००	१३.२६	१३.३९


 रामलाल थोपा
 नगर प्रमुख


 रामलाल थोपा
 नगर प्रमुख



५७	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुख्यनसहित पहाडी बेलान	घ.फी.	२८०.००	२८४.००	२८६.००
५८	छपान गरेको रूखको फोटो खिचेको	गोटा	१०.४०	१०.६०	१०.७०
५९	घाटगढीबाट दाउरा ढूवानी गर्दा लोड अनलोड	चट्टा	७२८०.००	७३००.००	७३७३.००
६०	जलवायु कार्यको लागि				
६०.१	गेज रिडर	श्रम दिन	४४२.००	४५०.००	४५४.००
६०.२	अब्जरभर	"	२४६.००	२५०.००	२५२.००
६१	हलुका सवारी साधन (जीप) भाडा ईन्धन वाहेक	कार्य दिन	५३०६.००	५४००.००	५४५४.००
६२	सर्भे इन्वुमेन्ट भाडा (टोटल स्टेशन सेट)	"	३५३७.००	३६००.००	३६३६.००
६३	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
६४	भवनको प्लिन्य एरिया दर (मुआब्जा प्रयोजनको लागि)				
६४.०१	फेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा	वर्ग फिट	२३८०.००	२४७५.००	२४९९.००
६४.०२	ग्राउन्ड फ्लोर अत्य फ्लोर	वर्ग फिट	१९००.००	१९७५.००	१९९४.००
६५	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
६५.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२४००.००	२४९५.००	२५१९.००
६५.०२	अत्य फ्लोर	वर्ग फिट	१५६०.००	१६२०.००	१६३६.००
६६	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
६६.०१	ग्राउन्ड फ्लोर	वर्ग फिट	१४४०.००	१४९५.००	१५०९.००
६६.०२	अत्य फ्लोर	वर्ग फिट	११००.००	११४०.००	११५१.००
६७	लोड वियरिङ्ग भवन टाईलको छाप्ना भएको	वर्ग फिट	१११६.००	११६०.००	११७१.००
	शिलालेख लेख्ने कार्य				
६८	मार्चलमा				

सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुख्यनसहित पहाडी बेलान

सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुख्यनसहित पहाडी बेलान



६८.०१	अक्षर माथी उठेको	वर्ग फिट	३०३१.००	३०९०.००	३१२०.००
६८.०२	अक्षर तल दवेको	वर्ग फिट	२४२५.००	२४७२.००	२४९६.००
६९	पित्तलमा				
६९.०१	अक्षर माथी उठेको	वर्ग फिट	४२४४.००	४३२०.००	४३६३.००
६९.०२	अक्षर तल दवेको	वर्ग फिट	३६३७.००	३७००.००	३७३७.००
७०	तामामा				
७०.०१	अक्षर माथी उठेको	वर्ग फिट	४८५०.००	४९४०.००	४९८९.००
७०.०२	अक्षर तल दवेको	वर्ग फिट	४२४४.००	४३२०.००	४३६३.००

निर्माण सामाग्रीको दररेट :

क्र.सं.	विवरण	ईकाई	आ.ब. २०७९/८० को दररेट	आ.ब. २०८०/८१ को दररेट	आ.ब. २०८१/०८२ को दररेट	कैफियत
१	ईटा नेपाल स्टान्डार्डको					
१.१	अब्ल (एक नम्बर) - चिम्नी भट्टाको	१०००	१४०००	१३५००	१३५००	
१.२	दुई नम्बर (लालपेटी) - चिम्नी भट्टाको	१०००	१०५००	१०२००	१०२००	
१.३	ओवर बर्न्ड/अण्डर बर्न्ड - चिम्नी भट्टाको	१०००	९०००	९०००	९०००	
१.४	टुक्रा	ट्राली	७०००	७०००	७०००	
१.५	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	११७००	११७००	११७००	
२	सिमेटको ईटा					
२.१	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा	४०	४०	४०	
३	वालुवा, ढुंगा र माटो					
३.१	वालुवा	घ.मि.	नर्मस् अनुसार			
३.२	धोएको वालुवा	घ.मि.	७५०	७५०	७५०	
३.३	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार			
३.४	कुदेको "	घ.मि.	नर्मस् अनुसार			
३.५	वण्ड "	घ.मि.	नर्मस् अनुसार			



रामलाल डौरा भाइ
नगर प्रमुख

प्रमुख परीक्षक/अभियंता
रामलाल डौरा भाइ



३.६	माटो खरिद तथा ढुवानी सहित टीकापुर न.पा.क्षेत्र भित्र (टीकापुर नगरपालिकाको आर्थिक ऐन २०८१ मा उल्लेखित रोयल्टी लगायत अन्य कर शुल्क बाहेक)	घ.मि.	४३०	४५०	४५०
४	गिद्दी कसरको				
४.१	४० मि.मि. ढुवानी बाहेक	घ.मि	१३५०	१३५०	१३५०
४.२	२० मि.मि. "	घ.मि	१८९०	१८९०	१८९०
४.३	१० मि.मि. "	घ.मि	१४००	१४००	१४००
४.४	६ मि.मि. "	घ.मि	१६००	१६००	१६००
४.५	ढुङ्गाको धूलो "	घ.मि	६८२	६८२	६८२
५	खोलाको छानेको गोला गिद्दी				
५.१	४० मि.मि. ढुवानी बाहेक	घ.मि			
५.२	२० मि.मि. "	घ.मि			
५.३	१० मि.मि. "	घ.मि			
५.४	४ मि.मि. देखि १० मि.मि सम्म	घ.मि			
६	सिमेट				
६.१	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	७५०	६००	६००
६.२	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	८५०	७००	७००
६.३	सेतो सिमेट	के.जी.	३३.०	३३.०	३३.०
७	काठ				
७.१	साल	घ.मी.	२१८३८५	२१८३८५	१७७०००
७.२	सिसम	घ.मी.	१५१९३८	१५१९३८	१४४९००
७.३	सल्लो	घ.मी.	५४०२७	५४०२७	४४९००
७.४	कुकाठ	घ.मी.	३७०५३	३७०५३	३७०००
८	बांस (७ मी लम्बाइ)				
८.१	टीकापुर नपा. क्षेत्रमा (मोटो)	गोटा	३९०	३९०	३९०
८.२	टीकापुर नपा. क्षेत्रमा(मसिनो)	गोटा	३४०	३४०	३४०
९	ग्रेनाइट/मार्बल				

नर्मस् अनुसार

प्रमुख प्रशासकीय अधिकारी

महोदय, न.पा. टीकापुर



१.०१	१६ मि.मि. बाक्लो ग्रेनाइट राम्रो- Colourful	व.मी.	४०००	४२००	४२००
१.०२	ग्रेनाइट सादा	व.मी.	३१५०	३२००	३२००
१.०३	१६ मि.मि. बाक्लो मार्बल	व.मी.	३०५०	३०००	३०००
१.०४	१३ मि.मि. बाक्लो मार्बल	व.मी.	१६८८	१७७२	१७७२
१.०५	मार्बल चिप्स (३ मि.मी.को)	के.जी.	२०	२०	२०
१.०६	मार्बल चिप्स (५ मि.मी.को)	के.जी.	२१	२१	२१
१.०७	अञ्जालीक एसिड पाउडर	के.जी.	१७१	१७१	१७१
१.०८	मैन पोलिस	के.जी.	६२६	६२६	६२६
१.०९	कावोरेन्डम हुंगा (२ x २ x ४ इन्ची)	गोटा	६५१	६५१	६५१
१०	टाईल (Procelain Glazed & Non-skid Tiles)				
१०.०१	12"*18" Wall Tile	ब.फि.	१०५	१०५	१०५
१०.०२	12"*18" Wall Tile kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	११६	११६
१०.०३	12"*24" Wall Tile	ब.फि.	१३०	१३०	१३०
१०.०४	12"*24" Wall Tile Kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१६५	१६०	१६०
१०.०५	16"*32" Wall Tile	ब.फि.	१४०	१४०	१४०
१०.०६	16"*32" Wall Tile kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१८५	१८५	१८५
१०.०७	12"*12" Floor Tile	ब.फि.	१०५	१०५	१०५
१०.०८	12"*12" Floor Tile kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	११६	११६
१०.०९	16"*16" Floor Tile kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	१२०	१२०
१०.१	24"*24" Vertified Tile-Plain Ivory	ब.फि.	११३	११३	११३
१०.११	24"*24" Vertified Tile-Plain Ivory kazaria, somyan, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१३०	१३५	१३५

रामलाल डगौरा थाह
नगर प्रमुख

रामलाल डगौरा थाह
नगर प्रमुख



१०.१२	24"*24" Double Charged Verified Tile-Light Shade	ब.फि.	१५०	१४५	१४५
१०.१३	24"*24" Double Charged Verified Tile-Dark Shade	ब.फि.	१६०	१५५	१५५
१०.१४	16"*16" Parking Tile- 12mm thickness	ब.फि.	११९	१२५	१२५
११	Bitumen/ Emulsion/Anti stripping additive	के.जी.			
११.१	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।
११.२	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.			
११.३	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	४१०	४१०	४१०
११.४	Instant Road repair Premix (pot Holes) 25kg per bag	Bag	११५०	११५०	११५०
१२	फलामे डण्डी				
१२.१	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	१०४	१००	१००
१२.२	८ मिमि को टीएमटी	के.जी.	१०७	१०३	१०३
१२.३	१० देखी २० मि.मि. सम्मका टीएमटी	के.जी.	१०४	१००	१००
१२.४	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	१०७	१०३	१०३
१२.५	वाईण्डिंग तार	के.जी.	१३०	१३०	१३०
१३	गिट्टी छान्ने तारजाली				
१३.१	२४ गेजको	व.मी.	१०१५	१०१५	१०१५
१३.२	२६ गेजको	व.मी.	८१२	८१२	८१२
१३.३	एक्सपेण्डेड मेटल वायर मेश	व.मी.	२६३	२६३	२६३
१३.४	चिकेन वायर मेश	व.मी.	३२४	३२४	३२४
१४	गेविन जी.बाइ. तार र सडक सम्बन्धी				
१४.०१	७ र ८ गेजको हेभी	के.जी.	१३०	१३०	१३०
१४.०२	१० " "	के.जी.	१३०	१३०	१३०
१४.०३	१२ " "	के.जी.	१३२	१३२	१३२
१४.०४	७ र ८ गेजको मध्यम	के.जी.	१२५	१२५	१२५
१४.०५	१० " "	के.जी.	१२५	१२५	१२५

रामलाल डगौरा थापा
नगर प्रमुख

रामलाल डगौरा थापा
नगर प्रमुख



१४.०६	१२	"	"	के.जी.	१२७	१२७	१२७
१४.०७	७	२	८ गेजको कमसियल (हल्का)	के.जी.	१२२	१२२	१२२
१४.०८	१०	"	"	के.जी.	१२२	१२२	१२२
१४.०९	१२	"	"	के.जी.	१२४	१२४	१२४
१४.१०	विभिन्न साइजको मेसिनमेड जालीहरु छुट्टै तालिकामा दिईएअनुसार						
१४.११	जीओ-टेक्स्टाइल	(१००	ग्राम)	व.मी.	१००	१००	१००
१४.१२	जीओ-टेक्स्टाइल	(१५०	ग्राम)	व.मी.	११३	११३	११३
१४.१३	जीओ-टेक्स्टाइल	(२००	ग्राम)		१३०	१३०	१३०
१४.१४	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)			व.मी.	४१५	४१५	४१५
१४.१५	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)			व.मी.	४५०	४५०	४५०
१४.१६	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)			व.मी.	५१६	५१६	५१६
१४.१७	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)			व.मी.	५५०	५५०	५५०
१४.१८	रङ्गरोगन सहितको ट्रफिक चिन्ह			गोटा	५५२५	५५२५	५५२५
१४.१९	सौर्य उर्जा सडक स्टूड			थान	४०००	४०००	४०००
१४.२०	साधारण क्याट्स आई			गोटा	६००	६००	६००
१४.२१	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग			कि.ग्रा.	२२५	२२५	२२५
१४.२२	Glass beads			कि.ग्रा.	२६०	२६०	२६०
१४.२३	सडकमा मार्किङ गर्ने रङ्ग			लीटर	५२०	५२०	५२०
१४.२४	Double sank cat eye 25 ton capacity			Nos	११५०	११५०	११५०
१४.२५	Simple sank cat eye 25 ton capacity			Nos	७५०	७५०	७५०
१४.२६	Aluminium Solar strud 45 ton capacity			Nos	५०००	५०००	५०००
१५	काडेतार						
१५.१	८ गेजको			के.जी.		१३१	१३१
१५.२	१० गेजको			के.जी.		१३१	१३१
१५.३	१२ गेजको			के.जी.	१३०	१३२	१३२
१५.४	१४ गेजको			के.जी.	१३२	१३०	१३०
१६	किला काँटी विभिन्न साईज						



प्राइव्ण्ड प्रोपर्टी अफिसर
 डा. प्र. र. शर्मा
 सहायक प्राइव्ण्ड प्रोपर्टी अफिसर
 डा. प्र. र. शर्मा

१६.१	साधारण कीला	के.जी.	१३०	१३०	१३०
१६.२	ल्वीड किला	के.जी.	२२८	२२८	२२८
१६.३	नटवोल्ड ६० मि.मिको	के.जी.	२४०	२४०	२४०
१६.४	नटवोल्ड ८० मि.मिको	के.जी.	२५०	२५०	२५०
१६.५	जे हुक/यू हुक विभिन्न साइजको	के.जी.	१५५	१५५	१५५
१६.६	जस्ता पाताको किला	के.जी.	१७३	१७३	१७३
१६.७	५० मि.मि.को पेच किला	गोटा	४	४	४
१६.८	६० मि.मि.को पेच किला	गोटा	४.५	४.५	४.५
१७	विद्युमिन वासर	पेकेट	३९	३९	३९
१८	होल्ड फाष्ट	के.जी.	१६०	१६०	१६०
१९	कब्जा				
१९.१	कब्जा ६ इन्ची	गोटा	५४	५४	५४
१९.२	" ४ "	गोटा	२९	३०	३०
१९.३	" ३ "	गोटा	२३	२४	२४
२०	छेस्कीनी				
२०.१	६" स्टील	गोटा	८५	८५	८५
२०.२	४" स्टील	गोटा	८०	८०	८०
२०.३	६" पितलको	गोटा	२६९	२७०	२७०
२०.४	४" "	गोटा	२१५	२१५	२१५
२०.५	६" अलम्युनियम	गोटा	१०७	१०७	१०७
२०.६	४" "	गोटा	९७	९७	९७
२१	डोर लकडि सेट/अल्युफ (वेलन)				
२१.१	१०" स्टील	सेट	२२८	२२८	२२८
२१.२	१२" "	सेट	२८६	२८६	२८६
२१.३	१०" पितलको	सेट	११८४	११८४	११८४
२१.४	१२" पितलको	सेट	१३६०	१३६०	१३६०
२१.५	१०" अलम्युनियम	सेट	४५४	४५४	४५४
२१.६	१२" अलम्युनियम	सेट	५६९	५६९	५६९
२२	हेण्डील				
२२.१	६" स्टील	गोटा	५३	५३	५३
२२.२	४" "	गोटा	४२	४२	४२
२२.३	६" पितलको	गोटा	२६७	२६७	२६७
२२.४	४" "	गोटा	१७०	१७०	१७०

रामलाल डगौरा थाप
नगर प्रमुख

रामलाल डगौरा थाप
नगर प्रमुख



२२.५	६" अलम्युनिम	गोटा	६४	६४	६४
२२.६	"	गोटा	५८	५८	५८
२२.७	मोर्टिस ताला ढोकाको साधारण	गोटा	११२८	११२८	११२८
२२.८	" " राम्रो पित्तल	गोटा	२३५४	२३५४	२३५४
२३	डोर स्त्रीढ (जाली ढोकाको)				
२३.१	साधारण	गोटा	३७१	३७१	३७१
२३.२	मध्यम	गोटा	११३३	११३३	११३३
२३.३	राम्रो	गोटा	२०६०	२०६०	२०६०
२४	ग्लास				
२४.१	३.५ मिमी.	व.फु.	७६	७७	७७
२४.२	४ मिमी.	व.फु.	८८	८९	८९
२४.३	४ मिमी. (रगिन)	व.फु.	९६	९७	९७
२४.४	५.० मिमी.	व.फु.	१०९	१११	१११
२४.५	५.० मिमी. (रगिन)	व.फु.	१३१	१३३	१३३
२५	प्लाइउड				
२५.०१	३ मिमी. कमर्सियल	व.फु.	३६	३६	३६
२५.०२	४ मिमी. कमर्सियल	व.फु.	२८	२८	२८
२५.०३	६ मिमी. कमर्सियल	व.फु.	३८	३८	३८
२५.०४	८ मिमी. कमर्सियल	व.फु.	५८	५८	५८
२५.०५	१० मिमी. कमर्सियल	व.फु.	६१	६१	६१
२५.०६	१२ मिमी. कमर्सियल	व.फु.	८५	८५	८५
२५.०७	४ मिमी. वाटरपुफ	व.फु.	५५	५५	५५
२५.०८	६ मिमी. वाटरपुफ	व.फु.	७०	७०	७०
२५.०९	८ मिमी. वाटरपुफ	व.फु.	६६	६६	६६
२५.१०	९ मिमी. वाटरपुफ	व.फु.	९४	९४	९४
२५.११	१२ मिमी. वाटरपुफ	व.फु.	११५	११५	११५
२५.१२	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	११५	११५	११५
२५.१३	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	१२६	१२६	१२६
२५.१४	१९ मिमी. वाटरपूफ	व.फु.	१५८	१५८	१५८
२५.१५	टिक प्लाइउड ४ मी.मी. (Natural texture)	व.फु.	६५	६५	६५
२५.१६	टिक प्लाइउड ४ मी.मी. (Simple)	व.फु.	६५	६५	६५

राम प्रतिकृषा अधिकारी
राम प्रमुख

रामलाल डगौरा थाप
नगर प्रमुख



texture)		व. फु.	१०२	१०२	१०२	१०२
२५.१७	12mm thick 8*4* Film Coated Ply 30kg/pics	व. फु.	१०२	१०२	१०२	१०२
२५.१८	18mm thick 8*4* Film Coated Ply 39kg/pics	व. फु.	१७०	१७०	१७०	१७०
२५.१९	32m thick Paandoor Flush Door of Differnet Size	व. फु.	३००	३००	३००	३००
२६	लेमिनेटेड पार्टिशन बोर्ड					
२६.१	४ मिमी.	व. फु.	२२	२२	२२	२२
२६.२	९ मिमी.	व. फु.	७५	७५	७५	७५
२६.३	१२ मिमी.	व. फु.	२२०	२२०	२२०	२२०
२६.४	१८ मिमी.	व. फु.	३३०	३३०	३३०	३३०
२६.५	२५ मिमी	व. फु.	४७५	४७५	४७५	४७५
२७	सनमाईका तथा फरमाईका					
२७.१	सनमाईका (४'x८')	व. फु.	१७	१७	१७	१७
२७.२	फोरमाईका	व. फु.	७५	७५	७५	७५
२८	Gypsum Board					
२८.१	12.5mm thick Gypsum Board False ceiling with GI channel 0.4mmX0.26mmX0.26mm and 0.26mm thick hanger : Normal gypsum board	व. फु.	८३	८०	८०	८७
२८.२	12.5mm thick Gypsum Board False ceiling with GI channel 0.4mmX0.26mmX0.26mm and 0.26mm thick hanger :USG Knauf gypsum board	व. फु.				९२
२८.३	12.5mm thick Gypsum Board False ceiling with GI channel 0.4mmX0.30mmX0.30mm and 0.30mm thick hanger : Normal gypsum board	व. फु.	९१	९०	९०	९७
२८.४	12.5mm thick Gypsum Board False ceiling with GI channel 0.4mmX0.30mmX0.30mm and 0.30mm thick hanger :USG Knauf gypsum board	व. फु.				१०२

प्रबल भारशक्ति अतिरिक्त
प्रबल भारशक्ति अतिरिक्त

रामलाल डगौरा थात
नगर प्रमुख



२८.४	12.5mm thick Gypsum Board False ceiling with GI channel 0.5mmX0.40mmX0.40mm and 0.40mm thick hanger : Normal gypsum board	ब. फु.			१०७
२८.६	12.5mm thick Gypsum Board False ceiling with GI channel 0.5mmX0.40mmX0.40mm and 0.40mm thick hanger :USG Knauf gypsum board	ब. फु.			११२
२८.७	Dry wall partation using 12.5mm thick gypsum board both side on 50mm stud	ब. फु.			१७२
२८.८	Dry wall partation using 12.5mm thick gypsum board both side on 75mm stud	ब. फु.			२०४
२९	PVC Pannel				
२९.१	8mm thick PVC board Falce ceiling	ब. फु.			१६८
२९.२	Design	र. फु.			१६८
२९.३	PVC wall panneling work 6mm	ब. फु.			१७४
२९.४	Design	र. फु.			१७४
२९.५	PVC Fluted wall pannelling work 10mm	ब. फु.			२२१
२९.६	Design	र. फु.			२२१
२९.७	PVC Lowered wall pannelling work 23mm	ब. फु.			३१०
२९.८	Design	र. फु.			३१०
३०	Fiber Cement Board				
३०.१	6mm thick (6'*4')	ब. फु.	३४	३६	३६
३०.२	8mm thick (8'*4')	ब. फु.	८४	५०	५०
३०.३	10mm thick (8'*4')	ब. फु.	५७	५८	५८
३०.४	12mm thick (8'*4')	ब. फु.		६६	६६
३०.५	16mm thick (8'*4')	ब. फु.	७०	७६	७६
३०.६	20mm thick (8'*4')	ब. फु.	९०	९२	९२
३०.७	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	ब. फु.	१३२	१३५	१३५

प्रमाणित
रामसाल डगोरा थार
नगर प्रमुख

रामसाल डगोरा थार
नगर प्रमुख



₹०.८	Fiber Cement Board Wall Panel-75mm (100-110 Kg/pc)	व. फु.	₹६८	₹८०	₹८०
₹०.९	Cement Board Flse Ceiling-2*2' Plain	व. फु.	८४	६५	९५
₹१	Sandwich EPS Panel				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
	Ivory color/white color flat partition and exterior wall				
₹१.०१	Thickness 50mm	व. फु.	₹१५	₹३०	₹३०
₹१.०२	75mm	व. फु.	₹६०	₹७७	₹७७
₹१.०३	100mm	व. फु.	₪०५	₪२५	₪२५
₹१.०४	125mm	व. फु.	₪५३	₪७५	₪७५
₹१.०५	150mm	व. फु.	₪९९	₪२३	₪२३
₹२	Blue and orange roof panel				
₹२.०१	50mm	व. फु.	₹६०	₹७८	₹७८
₹२.०२	75mm	व. फु.	₪०६	₪२६	₪२६
₹२.०३	100mm	व. फु.	₪९१	₪१५	₪१५
₹२.०४	125mm	व. फु.	₪९९	₪२३	₪२३
₹२.०५	150mm	व. फु.	₪४६	₪७३	₪७३
₹३	Sandwich EPE Panel				
₹३.०१	40mm	व. फु.	२४५	२५७	२५७
₹३.०२	50mm	व. फु.	२८०	२९४	२९४
₹३.०३	60mm	व. फु.	₹१५	₹३०	₹३०
₹३.०४	80mm	व. फु.	₹७०	₹८८	₹८८
₹३.०५	100mm	व. फु.	₪३०	₪५१	₪५१
₹४	Sandwich PUF Panel				


 रामलाल शौरा भार
 नगर प्रमुख


 प्रमुख, नगर प्रमुख
 नगर कार्यपालिका
 नगर कार्यपालिका



३४.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	ब. फु.	२६७	२८०	२९४
३४.०२	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	ब. फु.	३१५	३३०	३४६
३४.०३	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	ब. फु.	३८०	३९९	४१८
३४.०४	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	ब. फु.	४५०	४७२	४९५
३४.०५	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	ब. फु.	२४०	२५२	२६४
३४.०६	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	ब. फु.	२६०	२७३	२८६
३४.०७	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	ब. फु.	२८०	२९४	३०८
३४.०८	0.4mm thick Ridge Cap	र. फि.	१८९	१९८	२००
३४.०९	Gutter 0.30mm thick (Size-4")	र. फि.		९०	९०
३४.१	Gutter 0.35mm thick (Size-4")	र. फि.		१००	१००
३४.११	Gutter 0.40mm thick (Size-16")	र. फि.		११०	११५
३४.१२	Gutter 0.40mm thick (Size-12")	र. फि.			८८
३४.१३	Gutter 0.50mm thick (Size-16")	र. फि.		१३०	१११
३४.१४	Gutter 0.50mm thick (Size-12")	र. फि.			९७
३४.१५	Polycarbonate Corrugated sheet 0.8mm thick	ब. फु.		१२५	१२५
३४.१६	Polycarbonate Corrugated sheet 1.0mm thick	ब. फु.		१४५	१४५




 रामलाल धोगेरा थार
 नगर प्रमुख


 रामलाल धोगेरा थार
 नगर प्रमुख

३४.१७	Polycarbonate Corrugated sheet 1.2mm thick	ब. फु.		१७०	१४८
३४.१८	Polycarbonate Corrugated sheet 1.5mm thick	ब. फु.		२००	१६५
३४.१९	Polycarbonate Corrugated sheet 1.8mm thick	ब. फु.		२४०	२४०
३४.२०	Polycarbonate Corrugated sheet 2.0mm thick	ब. फु.		२४०	२१५
३४.२१	Polycarbonate Corrugated sheet 2.5mm thick	ब. फु.		३०५	२८७
३४.२२	Polycarbonate Corrugated sheet 3mm thick	ब. फु.			३४२
३४.२३	Polycarbonate Plain sheet 1.0mm thick	ब. फु.		१३५	११४
३४.२४	Polycarbonate Plain sheet 1.5mm thick	ब. फु.		१७५	१७५
३४.२५	Polycarbonate Plain sheet 2.0mm thick	ब. फु.		२४०	१६९
३४.२६	Polycarbonate Plain sheet 2.5mm thick	ब. फु.		२९५	२३३
३४.२७	Polycarbonate Plain sheet 3mm thick	ब. फु.			२७०
३४.२८	Polycarbonate Plain sheet 4mm thick	ब. फु.			३१६
३४.२९	Polycarbonate Plain sheet 5mm thick	ब. फु.			३७५
३४.३०	Polycarbonate Plain sheet 6mm thick	ब. फु.			४५०
३४.३१	Polycarbonate Plain sheet 7mm thick	ब. फु.			५४०
३४.३२	Polycarbonate Plain sheet 8mm thick	ब. फु.			५८१
३४.३३	Polycarbonate Plain sheet 9mm thick	ब. फु.			७२५
३४.३४	Polycarbonate Plain sheet 10mm thick	ब. फु.			७६७
३४.३५	Polycarbonate Plain sheet 12mm thick	ब. फु.			८७३
३४.३६	Polycarbonate Compact sheet (Tilara or eqvt.) 1mm thick	ब. फु.			१०२

डिप्टी. सहायक. प्रमुख
राज्य प्रशासन विभाग

रामबाल डंगौरा शाह
नगर प्रमुख



३४.३७	Polycarbonate Compact sheet (Tilara or eqvt.) 2mm thick	ब.फु.			२०४
३४.३८	Polycarbonate Compact sheet (Tilara or eqvt.) 3mm thick	ब.फु.			३०६
३४.३९	Polycarbonate Compact sheet (Tilara or eqvt.) 5mm thick	ब.फु.			५०९
३४.४०	Polycarbonate Compact sheet (Tilara or eqvt.) 8mm thick	ब.फु.			८१५
३४.४१	Polycarbonate Compact sheet (Tilara or eqvt.) 10mm thick	ब.फु.			१०१८
३४.४२	Polycarbonate Compact sheet (Tilara or eqvt.) 12mm thick	ब.फु.			१२२२
३४.४३	Polycarbonate Multi wall sheet sheet (Tilara or eqvt.) 4mm thick	ब.फु.			६८
३४.४४	Polycarbonate Multi wall sheet sheet (Tilara or eqvt.) 6mm thick	ब.फु.			९८
३४.४५	Polycarbonate Multi wall sheet sheet (Tilara or eqvt.) 8mm thick	ब.फु.			११३
३४.४६	Polycarbonate Multi wall sheet sheet (Tilara or eqvt.) 10mm thick	ब.फु.			१२८
३४.४७	Polycarbonate Multi wall sheet sheet (Tilara or eqvt.) 16mm thick	ब.फु.			२२५
३५	Supplying and laying of polythene and polypropylene polymer compound for waterproof membrane	ब.फु.			८०
३६	जस्ता पाता (सिजिआई सीट)				
३६.१	0.35 mm (26 guage light)	वण्डल	८४४६	८४४६	८४४६
३६.२	0.37 mm (26 guage Medium)	वण्डल	९५००	९५००	९५००
३६.३	0.41 mm (26 guage Heavy)	वण्डल	१०९९०	१०९९०	१०९९०
३६.४	0.45 mm (24 guage light)	वण्डल	११२००	११२००	११२००
३६.५	0.50 mm (24 guage Medium)	वण्डल	११७००	११७००	११७००
३६.६	0.52 mm (24 guage Heavy)	वण्डल	१३४००	१३४००	१३४००
३७	जि आई प्लेन सीट				
३७.१	३×६ फीट २६ गेजको मिडियम	गोटा	७४०	७४०	७४०

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



३७.२	३×६ फीट २४ गेजको मिडियम	गोटा	७७०	७७०	७७०
३८	रंगीन जस्ता पाता (सिजिबाई सीट)				
३८.१	0.35 mm (26 guage light)	वण्डल	११४००	११४००	११४००
३८.२	0.37 mm (26 guage Medium)	वण्डल	११८००	११८००	११८००
३८.३	0.41 mm (26 guage Heavy)	वण्डल	१२९००	१२९००	१२९००
३८.४	0.45 mm (24 guage light)	वण्डल	१३४००	१३४००	१३४००
३८.५	0.50 mm (24 guage Medium)	वण्डल	१४५००	१४५००	१४५००
३८.६	0.55 mm (24 guage Heavy)	वण्डल	१५५००	१५५००	१५५००
३९	रंगीन प्लेन सीट				
३९.१	३×६ फीट २४ गेजको	गोटा	११८०	११८०	११८०
३९.२	३×६ फीट २६ गेजको	गोटा	९६५	९६५	९६५
४०	फलामे सामग्री				
४०.०१	फलामको स्वायर पाईप र गोला पाईप	के.जी.	१२०	१२०	१२०
४०.०२	विभिन्न साइजको एंगल, चेनल, टी, फ्ल्याट इत्यादि	के.जी.	१११	११०	११०
४०.०३	कालो पाईपको तयारी ट्रेस	के.जी.	१४५	१४५	१४५
४०.०४	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	१४०	१४०	१४०
४०.०५	फलामे गेट (घर कम्पाउण्डको)	के.जी.	१४०	१५०	१५०
४०.०६	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	१४०	१४०	१४०
४०.०७	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	१४०	१४०	१४०
४०.०८	कोल्यास्वीवल गेट	के.जी.	१४०	१४०	१४०
४०.०९	Mild Steel Props for Concreting 2" dia 3.5mm wall thickness and 3.5m-4.0m height	गोटा		२०००	२०००
४१	रोलिङ सटर				
४१.१	१८ गेजको ब्याकसीट	व.फु.	१६२	१६२	१६२
४१.२	२०गेजको ब्याकसीट	व.फु.	१५८	१५८	१५८
४२	रबरसिल				
४२.१	क्यानल लाईनिङ	मी.	२३८	२३८	२३८
४२.२	गेटको लागि	मी.	२७५	२७५	२७५



रामलाल डगौरा थाप
नागर प्रमुख

प्राप्त प्रमाणित शिफारस
१६/०५/२०७५

पाइप, फिटिङ तथा टंकी (बानेपानी, सिचाई सम्बन्धि)				
सं	वि. आई पाईप			
४३.०१	१/२" छ को लाइट	र.मी.	१७६.००	१७६.००
४३.०२	१/२" छ को मिडियम	र.मी.	२०७.००	२०७.००
४३.०३	१/२" छ को हेवी	र.मी.	२४४.००	२४४.००
४३.०४	३/४" छ को लाइट	र.मी.	२४४.००	२४४.००
४३.०५	३/४" छ को मिडियम	र.मी.	२६२.००	२६२.००
४३.०६	३/४" छ को हेवी	र.मी.	३११.००	३११.००
४३.०७	१" छ को लाइट	र.मी.	३३५.००	३३५.००
४३.०८	१" छ को मिडियम	र.मी.	३९६.००	३९६.००
४३.०९	१" छ को हेवी	र.मी.	४६३.००	४६३.००
४३.१०	१ १/४" छ को लाइट	र.मी.	४५१.००	४५१.००
४३.११	१ १/४" छ को मिडियम	र.मी.	५१२.००	५१२.००
४३.१२	१ १/४" छ को हेवी	र.मी.	५९१.००	५९१.००
४३.१३	१ १/४" छ को लाइट	र.मी.	५३०.००	५३०.००
४३.१४	१ १/४" छ को मिडियम	र.मी.	५९२.००	५९२.००
४३.१५	१ १/४" छ को हेवी	र.मी.	६८३.००	६८३.००
४३.१६	२" छ को लाइट	र.मी.	६७१.००	६७१.००
४३.१७	२" छ को मिडियम	र.मी.	८०६.००	८०६.००
४३.१८	२" छ को हेवी	र.मी.	९९५.००	९९५.००
४३.१९	२ १/४" छ को लाइट	र.मी.	९२७.००	९२७.००
४३.२०	२ १/४" छ को मिडियम	र.मी.	१०३१.००	१०३१.००
४३.२१	२ १/४" छ को हेवी	र.मी.	१२४४.००	१२४४.००
४३.२२	३" छ को लाइट	र.मी.	१०८५.००	१०८५.००
४३.२३	३" छ को मिडियम	र.मी.	१२७४.००	१२७४.००
४३.२४	३" छ को हेवी	र.मी.	१४६४.००	१४६४.००
४३.२५	४" छ को लाइट	र.मी.	१५५५.००	१५५५.००
४३.२६	४" छ को मिडियम	र.मी.	१८९१.००	१८९१.००
४३.२७	४" छ को हेवी	र.मी.	२२६९.००	२२६९.००
४३.२८	५" छ को लाइट	र.मी.	२४९१.००	२४९१.००
४३.२९	५" छ को मिडियम	र.मी.	२६३२.००	२६३२.००
४३.३०	५" छ को हेवी	र.मी.	२९६५.००	२९६५.००

पाइप फिटिङ तथा टंकी

रामलाल डगौरा थाए
नगर प्रमुख



४३.३१	६"Ø को लाइट	र.मी.	२९५७.००	२९५७.००	२९५७.००
४३.३२	६"Ø को मिडियम	र.मी.	३१८३.००	३१८३.००	३१८३.००
४३.३३	६"Ø को हेवी	र.मी.	३३५७.००	३३५७.००	३३५७.००
४३.३४	८"Ø को लाइट	र.मी.	४१३२.००	४१३२.००	४१३२.००
४३.३५	८"Ø को मिडियम	र.मी.	४८७०.००	४८७०.००	४८७०.००
४३.३६	८"Ø को हेवी	र.मी.	५१७५.२४	५१७५.२४	५१७५.२४
४४	एम्. एस्. केसिड पाईप र फिटिंहर				
४४.०१	३०० मि मि Ø केसिड पाईप	मी.	१३०००	१३०००	१३०००
४४.०२	२५० मि मि Ø केसिड पाईप	मी.	११०००	११०००	११०००
४४.०३	१५० मि मि Ø केसिड पाईप	मी.	२९५०	२९५०	२९५०
४४.०४	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	४१००	४१००	४१००
४४.०५	२०० मि मि Ø केसिड पाईप	मी.	६३५०	६३५०	६३५०
४४.०६	१०० मि मि Ø केसिड पाईप	मी.	१९००	१९००	१९००
४४.०७	१२५ मि मि Ø केसिड पाईप	मी.	२५९०	२५९०	२५९०
४४.०८	१२०० मि मि Ø स्लटेड स्कीन पाइप	मी.	६०००	६०००	६०००
४४.०९	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	८५००	८५००	८५००
४४.१०	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.0mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	२१५००	२१५००	२१५००
४४.११	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.0mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१७५००	१७५००	१७५००
४४.१२	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.0mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१०५००	१०५००	१०५००

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.0mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	८५००	८५००	८५००
४४.१३					८५००
४४.१४	MS Reducer 250/200 mm	गोटा	७५००	७५००	७५००
४४.१५	MS Reducer 250/150 mm	गोटा	७९००	७९००	७९००
४४.१६	MS Reducer 200/150 mm	गोटा	६०००	६०००	६०००
४४.१७	Casing Shoe 5" dia	गोटा	४५००	४५००	४५००
४४.१८	Casing Shoe 6" dia	गोटा	८०००	८०००	८०००
४४.१९	Casing Shoe 8" dia	गोटा	१५०००	१५०००	१५०००
४४.२०	150mm dia. .30*.50m Elbow	गोटा	२६२५	२६२५	२६२५
४४.२१	150mm dia.Non Return Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२२	150mm dia. Flange	गोटा	२१००	२१००	२१००
४४.२३	150mm dia. .45*.15m Tee	गोटा	३१५०	३१५०	३१५०
४४.२४	150mm dia. Sluice Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२५	150mm dia. .3*.3m Bend	गोटा	२६२५	२६२५	२६२५
४४.२६	200mm dia. .60*.40m Tee	गोटा	५२५०	५२५०	५२५०
४४.२७	200mm dia. Flange	गोटा	२६२५	२६२५	२६२५
४४.२८	250mm dia. Flange	गोटा	३६७५	३६७५	३६७५
४४.२९	200mm dia. Sluice Valve	गोटा	२८८७५	२८८७५	२८८७५
४४.३०	200mm dia. .3*.3m Elbow	गोटा	४२००	४२००	४२००
४४.३१	100mm dia.Non Return Valve (Wt min ^m 10Kg)	गोटा	१३१२	१३१२	१३१२
४४.३२	100mm dia. .15*.15m Elbow	गोटा	१५७५	१५७५	१५७५
४४.३३	100mm dia. Sluice Valve	गोटा	१३१२	१३१२	१३१२
४४.३४	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	१३१२	१३१२	१३१२
४४.३५	४" एम्. एस्. पाईप Screen Knock	गोटा	२१००	२१००	२१००
४४.३६	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	५७७	५७७	५७७
४४.३७	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	५२५	५२५	५२५
४४.३८	२०० मि.मि. Alpha Alpha Valve	गोटा	४७२५	४७२५	४७२५
४४.३९	बटरफ्लाई भल्भ ६"	गोटा	७८७५	७८७५	७८७५




 रामलाल डोरा थारु
 नगर प्रमुख


 रामलाल डोरा थारु
 नगर प्रमुख

४४.४०	बटरफ्लाई भल्स ४"	गोटा	६८२५	६८२५	६८२५
४४.४१	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली 6x3x0.75 मि., २०x20 से.मी. ६ मि.मि dia 7.25 kg	गोटा	२२००	२२००	२२००
४४.४२	10mm joint filler for canal lining	ब.मि.	१२००	१२००	१२००
४४.४३	Polysulphide joint sealer for cana lining	मि.	५००	५००	५००
४४.४४	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	३००	३००	३००
४४.४५	PVC Water stopper 230mm width 25mm dia center bub	मि.	११००	११००	११००
४५.०	यू.पी.मि.सि. फिटिंग				
४५.०१	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	१२००	१२००	१२००
४५.०२	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	२२५०	२२५०	२२५०
४५.०३	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	१७५०	१७५०	१७५०
४५.०४	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	७१०	७१०	७१०
४५.०५	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	१२५०	१२५०	१२५०
४५.०६	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	६५०	६५०	६५०
४५.०७	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	८५०	८५०	८५०
४५.०८	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	१०००	१०००	१०००
४५.०९	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	८००	८००	८००
४५.१०	PVC Coupler Flange 6" dia	गोटा	२५००	२५००	२५००
४५.११	Solvent Cement	लि.	५५०	५५०	५५०
४५.१२	४"Ø सक्सन पाइप	र.मी.	७१०	७१०	७१०
४५.१३	४"Ø सर्भिस पाइप	के.जी.	२७५	२७५	२७५
४५.१४	४"Ø भल्व वेण्ड	सेट	२५००	२५००	२५००
४६.०	कस टी				
४६.१०	१ 1/२"Ø मिडियम जि.आई. ६ मुबे	गोटा	३३३५	३३३५	३३३५
४६.२०	१ 1/२"Ø " ४ मुबे	गोटा	१९३५	१९३५	१९३५
४७.०	जि.आई. सकेट				
४७.०१	१/२"Ø को मिडियम	गोटा	४३	४३	४३
४७.०२	३/४"Ø को मिडियम	गोटा	६६	६६	६६

रामलाल डगौरा शाह
नगर प्रमुख

रामलाल डगौरा शाह
नगर प्रमुख



४७.०३	१"Ø को मिडियम	गोटा	८६	८६	८६
४७.०४	१ १/४"Ø को मिडियम	गोटा	१४०	१४०	१४०
४७.०५	१ १/२"Ø को मिडियम	गोटा	१९०	१९०	१९०
४७.०६	२"Ø को मिडियम	गोटा	२८०	२८०	२८०
४७.०७	२ १/२"Ø को मिडियम	गोटा	४७०	४७०	४७०
४७.०८	३"Ø को मिडियम	गोटा	६३०	६३०	६३०
४७.०९	४"Ø को मिडियम	गोटा	१०००	१०००	१०००
४८.०	जि.आई युनियन				
४८.०१	१/२"Ø को मिडियम	गोटा	१३०	१३०	१३०
४८.०२	३/४"Ø को मिडियम	गोटा	१८५	१८५	१८५
४८.०३	१"Ø को मिडियम	गोटा	२४५	२४५	२४५
४८.०४	१ १/४"Ø को मिडियम	गोटा	३७०	३७०	३७०
४८.०५	१ १/२"Ø को मिडियम	गोटा	४७५	४७५	४७५
४८.०६	२"Ø को मिडियम	गोटा	६७५	६७५	६७५
४८.०७	२ १/२"Ø को मिडियम	गोटा	७९०	७९०	७९०
४८.०८	३"Ø को मिडियम	गोटा	१७८०	१७८०	१७८०
४८.०९	४"Ø को मिडियम	गोटा	२४३०	२४३०	२४३०
४९	जि.आई. निपल				
४९.०१	१/२"Ø को मिडियम ६"	गोटा	८५	८५	८५
४९.०२	३/४"Ø को मिडियम ६"	गोटा	११५	११५	११५
४९.०३	१"Ø को मिडियम ६"	गोटा	१५०	१५०	१५०
४९.०४	१ १/४"Ø को मिडियम ६"	गोटा	२१०	२१०	२१०
४९.०५	१ १/२"Ø को मिडियम ६"	गोटा	२६०	२६०	२६०
४९.०६	२"Ø को मिडियम ६"	गोटा	३६९	३६९	३६९
४९.०७	२ १/२"Ø को मिडियम ६"	गोटा	६५०	६५०	६५०
४९.०८	३"Ø को मिडियम ६"	गोटा	९७५	९७५	९७५
४९.०९	४"Ø को मिडियम ६"	गोटा	११५०	११५०	११५०
४९.१०	GI nipple 3"long	गोटा	९०	९०	९०
४९.११	15 mm Ø Medium	गोटा	१२५	१२५	१२५
४९.१२	20 mm Ø Medium	गोटा	१६९	१६९	१६९

रामलाल इगोरा थार
नगर प्रमुख



४९.१३	25 mm Φ Medium	गोटा	२२५	२२५	२२५
४९.१४	32 mm Φ Medium	गोटा	२८१	२८१	२८१
४९.१५	40 mm Φ Medium	गोटा	३९३	३९३	३९३
४९.१६	50 mm Φ Medium	गोटा	५६८	५६८	५६८
४९.१७	65 mm Φ Medium	गोटा	८५२	८५२	८५२
४९.१८	80 mm Φ Medium	गोटा	१००५	१००५	१००५
५०	जि.आई. टी				
५०.०१	१/२" \emptyset को मिडियम	गोटा	७४	७४	७४
५०.०२	३/४" \emptyset को मिडियम	गोटा	१२०	१२०	१२०
५०.०३	१" \emptyset को मिडियम	गोटा	१६०	१६०	१६०
५०.०४	१ १/४" \emptyset को मिडियम	गोटा	२६३	२६३	२६३
५०.०५	१ १/२" \emptyset को मिडियम	गोटा	३१६	३१६	३१६
५०.०६	२" \emptyset को मिडियम	गोटा	४९५	४९५	४९५
५०.०७	२ १/२" \emptyset को मिडियम	गोटा	१०४८	१०४८	१०४८
५०.०८	३" \emptyset को मिडियम	गोटा	१५९५	१५९५	१५९५
५०.०९	४" \emptyset को मिडियम	गोटा	२८५५	२८५५	२८५५
५१.००	GI unequal Tee				
५१.०१	20x20x15 mm Φ	गोटा	१६०	१६०	१६०
५१.०२	25x25x15 mm Φ	गोटा	२१७	२१७	२१७
५१.०३	32x32x15 mm Φ	गोटा	३१६	३१६	३१६
५१.०४	40x40x15 mm Φ	गोटा	४१८	४१८	४१८
५१.०५	50x50x15 mm Φ	गोटा	६६२	६६२	६६२
५१.०६	65x65x15 mm Φ	गोटा	१२४२	१२४२	१२४२
५१.०७	80x80x15 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.०८	100x100x15 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.०९	50x50*25 mm Φ	गोटा	६६२	६६२	६६२
५१.१०	50x50*32 mm Φ	गोटा	६६२	६६२	६६२
५१.११	50*50 *40mm Φ	गोटा	६६२	६६२	६६२
५१.१२	65x65x25mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१३	65*65*32mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१४	65*65*40mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१५	65*65*50mm Φ	गोटा	१२४२	१२४२	१२४२

रामलाल डगौरा धार
नगर प्रमुख

रामलाल डगौरा धार
नगर प्रमुख



५१.१६	80x80x25 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१७	80x80x32 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१८	80x80x40 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१९	80x80x50 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२०	80x80x65mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२१	100*100x25 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२२	100*100*32 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२३	100*100*40 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२४	100*100*50 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२५	100*100*65 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२६	100*100*80 mm Φ	गोटा	२९०६	२९०६	२९०६
५२	ग्लोब भल्म				
५२.०१	१/२" \emptyset को मिडियम	गोटा	७८०	७८०	७८०
५२.०२	३/४" \emptyset को मिडियम	गोटा	१३२४	१३२४	१३२४
५२.०३	१" \emptyset को मिडियम	गोटा	१८८०	१८८०	१८८०
५२.०४	१ १/४" \emptyset को मिडियम	गोटा	३६६०	३६६०	३६६०
५२.०५	१ १/२" \emptyset को मिडियम	गोटा	४६५०	४६५०	४६५०
५२.०६	२" \emptyset को मिडियम	गोटा	६१७५	६१७५	६१७५
५२.०७	२ १/४" \emptyset को मिडियम	गोटा	१४९४५	१४९४५	१४९४५
५२.०८	३" \emptyset को मिडियम	गोटा	२१३६५	२१३६५	२१३६५
५२.०९	४" \emptyset को मिडियम	गोटा	३६४०७	३६४०७	३६४०७
५३	गेट भल्म (ब्रास)				
५३.०१	१/२" \emptyset को मिडियम	गोटा	८४४	८४४	८४४
५३.०२	३/४" \emptyset को मिडियम	गोटा	११७५	११७५	११७५
५३.०३	१" \emptyset को मिडियम	गोटा	१७६०	१७६०	१७६०
५३.०४	१ १/४" \emptyset को मिडियम	गोटा	२६९०	२६९०	२६९०
५३.०५	१ १/२" \emptyset को मिडियम	गोटा	३६६०	३६६०	३६६०
५३.०६	२" \emptyset को मिडियम	गोटा	५५४०	५५४०	५५४०
५३.०७	२ १/४" \emptyset को मिडियम	गोटा	११६५२	११६५२	११६५२
५३.०८	३" \emptyset को मिडियम	गोटा	१६२०५	१६२०५	१६२०५
५३.०९	४" \emptyset को मिडियम	गोटा	३११७७	३११७७	३११७७
५४	एयर भल्म				

प्राप्त पश्चात्तर्फी अर्जित
१/११/२०१७

रामलाल डगौरा शाह
नगर प्रमुख



५४.०१	१/२"Ø को मिडियम	गोटा	४६६०	४६६०	४६६०
५४.०२	३/४"Ø को मिडियम	गोटा	४६६०	४६६०	४६६०
५४.०३	१"Ø को मिडियम	गोटा	७०९६	७०९६	७०९६
५५	जि.आई. रिड्यूसर				
५५.०१	१/२ X ३/४" को	गोटा	७३	७३	७३
५५.०२	३/४ X १" को	गोटा	९५	९५	९५
५५.०३	१ X १ १/४" को	गोटा	१४७	१४७	१४७
५५.०४	१ १/४ X १ १/२" को	गोटा	१६०	१६०	१६०
५५.०५	१ १/२ X २" को	गोटा	३१५	३१५	३१५
५५.०६	२ X २ १/२" को	गोटा	४२२	४२२	४२२
५५.०७	२ १/२ X ३" को	गोटा	७९०	७९०	७९०
५५.०८	३ X ४" को	गोटा	११००	११००	११००
५६	जि.आई. एल्बो				
५६.०१	१/२"Ø को मिडियम	गोटा	४६	४६	४६
५६.०२	३/४"Ø को मिडियम	गोटा	७४	७४	७४
५६.०३	१"Ø को मिडियम	गोटा	११६	११६	११६
५६.०४	१ १/४"Ø को मिडियम	गोटा	१६०	१६०	१६०
५६.०५	१ १/२"Ø को मिडियम	गोटा	२५५	२५५	२५५
५६.०६	२"Ø को मिडियम	गोटा	३६६	३६६	३६६
५६.०७	२ १/२"Ø को मिडियम	गोटा	९००	९००	९००
५६.०८	३"Ø को मिडियम	गोटा	११००	११००	११००
५६.०९	४"Ø को मिडियम	गोटा	२२००	२२००	२२००
५७	जि.आई. इन्डक्याप				
५७.०१	१/२" को मिडियम	गोटा	४६	४६	४६
५७.०२	३/४" को मिडियम	गोटा	७५	७५	७५
५७.०३	१" को मिडियम	गोटा	९५	९५	९५
५७.०४	१ १/४" को मिडियम	गोटा	१६५	१६५	१६५
५७.०५	१ १/२" को मिडियम	गोटा	२०२	२०२	२०२



रामलाल डगौरा थाह
नगर प्रमुख

जि.आई. एल्बो

५७.०६	२" को मिडियम	गोटा	२६०	२६०	२६०	२६०
५७.०७	२ १/२" को मिडियम	गोटा	५५५	५५५	५५५	५५५
५८	फलामे मेनहोल कवर					
५८.०१	६० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२४५०	२४५०	२४५०	२४५०
५८.०२	९० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२९५०	२९५०	२९५०	२९५०
५८.०३	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा	३०००	३०००	३०००	३०००
५८.०४	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा	५५००	५५००	५५००	५५००
५८.०५	CI Manhole Cover Round 450mm 49 Kg weight	गोटा	१००००	१००००	१००००	१००००
५८.०६	CI Manhole Cover Round 500mm 50 Kg weight	गोटा	१०५००	१०५००	१०५००	१०५००
५८.०७	CI Manhole Cover Round 600mm 90 Kg weight	गोटा	१९०००	१९०००	१९०००	१९०००
५८.०८	CI Manhole Cover Round 750mm 115 Kg weight	गोटा	२३०००	२३०००	२३०००	२३०००
५९	दुटी					
५९.०१	पित्तलको हेभी	गोटा	७००	७००	७००	७००
५९.०२	पित्तलको लाईट	गोटा	४९०	४९०	४९०	४९०
५९.०३	प्लास्टिकको	गोटा	१६०	१६०	१६०	१६०
६०	पोलिथिनको पानी टंकी	लिटर	१३	१३	१३	१३
६१	स्टिलको पानी टंकी	लिटर	२१	२३	२३	२३
६२	हेण्डपम्प गाड्ने कार्य					
६२.०१	६० फीटसम्म गहिरो	फिट	४३२६	४३२६	४३२६	४३२६
६२.०२	६० फीटभन्दा बढी गहिरो	फिट	६६	६६	६६	६६
६३	हेण्डपम्प					
६३.०१	४ नं. को लाईट	गोटा	१८०२	१८०२	१८०२	१८०२
६३.०२	४ नं. को हेभी	गोटा	२५२३	२५२३	२५२३	२५२३
६३.०३	६ नं. को हेभी	गोटा	३२९६	३२९६	३२९६	३२९६
६३.०४	६ नं. को लाईट	गोटा	३६०५	३६०५	३६०५	३६०५



(Signature)

रामलाल डगौरा थाप
नगर प्रमुख

(Signature)
नगर प्रमुख

क्र	फ्लोट भल्ब							
६४.०१	१/२" Ø को	गोटा	२८६८	२८६८	२८६८	२८६८		
६४.०२	३/४" Ø को	गोटा	३३२६	३३२६	३३२६	३३२६		
६४.०३	१" Ø को	गोटा	४३६२	४३६२	४३६२	४३६२		
६४.०४	१ १/४" Ø को	गोटा	९२७०	९२७०	९२७०	९२७०		
६४.०५	१ १/२" Ø को	गोटा	१२७०	१२७०	१२७०	१२७०		
६४.०६	Brass 15 mm Ø Gun Metal Ferrule	गोटा	१०८३	१०८३	१०८३	१०८३		
६४.०७	Brass Bib Cok Heavy 15 mm Ø (400 gm)	गोटा	७५०	७५०	७५०	७५०		
६४.०८	15 mm Ø Water Meter Rotary Piston type	गोटा	२५००	२५००	२५००	२५००		
६४.०९	Brass 15 mm Ø regulator With Key	गोटा	१४१०	१४१०	१४१०	१४१०		
६५	जि.आई/एच.डि.पि फ्लेन्ज सेट							
६५.०१	१/२" Ø को	गोटा	५०९	५०९	५०९	५०९		
६५.०२	३/४" Ø को	गोटा	५६६	५६६	५६६	५६६		
६५.०३	१" Ø को	गोटा	७३६	७३६	७३६	७३६		
६५.०४	१ १/४" Ø को	गोटा	९०६	९०६	९०६	९०६		
६५.०५	१ १/२" Ø को	गोटा	११८९	११८९	११८९	११८९		
६५.०६	२" Ø को	गोटा	१५४५	१५४५	१५४५	१५४५		
६५.०७	२ १/२" Ø को	गोटा	१९०५	१९०५	१९०५	१९०५		
६५.०८	३" Ø को	गोटा	२३१७	२३१७	२३१७	२३१७		
६५.०९	४" Ø को	गोटा	२८३२	२८३२	२८३२	२८३२		
६५.१०	100/125 mm Ø	गोटा	३३५०	३३५०	३३५०	३३५०		
६५.११	125/140mm Ø	गोटा	४०००	४०००	४०००	४०००		
६५.१२	150/160 mm Ø	गोटा	४५००	४५००	४५००	४५००		
६५.१३	150/180 mm Ø	गोटा	४७५०	४७५०	४७५०	४७५०		
६५.१४	150/200 mm Ø	गोटा	५०००	५०००	५०००	५०००		
६५.१५	200/225 mm Ø	गोटा	६०००	६०००	६०००	६०००		
६५.१६	200/250 mm Ø	गोटा	६५००	६५००	६५००	६५००		
६५.१७	250/280 mm Ø	गोटा	८०००	८०००	८०००	८०००		
६६.००	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket							
६६.०१	63mm Ø	गोटा	२२५०	२२५०	२२५०	२२५०		

रामलाल डगौरा थाट
नगर प्रमुख

रामलाल डगौरा थाट
नगर प्रमुख



६६.०२	75mm Φ	गोटा	२७५०	२७५०	२७५०
६६.०३	90 mm Φ	गोटा	३२५०	३२५०	३२५०
६६.०४	110 mm Φ	गोटा	३३५०	३३५०	३३५०
६६.०५	125 mm Φ	गोटा	४०००	४०००	४०००
६६.०६	140mm Φ	गोटा	४५००	४५००	४५००
६६.०७	160 mm	गोटा	४७५०	४७५०	४७५०
६६.०८	180 mm Φ	गोटा	५०००	५०००	५०००
६६.०९	200 mm Φ	गोटा	६०००	६०००	६०००
६६.१०	225 mm Φ	गोटा	६५००	६५००	६५००
६६.११	250 mm Φ	गोटा	८०००	८०००	८०००
६७.००	GI /GI flange set				
६७.०१	50mm Φ	गोटा	१३००	१३००	१३००
६७.०२	65mm Φ	गोटा	१५००	१५००	१५००
६७.०३	80 mm Φ	गोटा	१८००	१८००	१८००
६७.०४	100 mm Φ	गोटा	२२००	२२००	२२००
६७.०५	125mm Φ	गोटा	२६००	२६००	२६००
६७.०६	150 mm Φ	गोटा	३०००	३०००	३०००
६७.०७	200 mm Φ	गोटा	५०००	५०००	५०००
६७.०८	250mm Φ	गोटा	६०००	६०००	६०००
६८	ब्रास युनियन				
६८.०१	१/२" Ø को	गोटा	१९०	१९०	१९०
६८.०२	३/४" Ø को	गोटा	३९०	३९०	३९०
६८.०३	१" Ø को	गोटा	४७५	४७५	४७५
६८.०४	१ १/४" Ø को	गोटा	६७५	६७५	६७५
६८.०५	१ १/२" Ø को	गोटा	९८०	९८०	९८०
६८.०६	२" Ø को	गोटा	१६१५	१६१५	१६१५
६८.०७	२ १/२" Ø को	गोटा	५१३९	५१३९	५१३९
६८.०८	३" Ø को	गोटा	७६९६	७६९६	७६९६
६८.०९	४" Ø को	गोटा	११७३१	११७३१	११७३१
६८.१०	५" Ø को	गोटा	१६४२८	१६४२८	१६४२८
६८.११	एच.डी.पि.ई. पाईप NS	के.जी.	३०५	३००	२९०




रामलाल डौरा थार
नगर प्रमुख

रामलाल डौरा थार
नगर प्रमुख



क्र	DI Pipe Double Flange Pipe k 9 Series					
६९.०१	80 mm dia	Mrt	४०००	४०००	४०००	४०००
६९.०२	100mm dia	Mrt	४०००	४०००	४०००	४०००
६९.०३	125mm dia	Mrt	६१००	६१००	६१००	६१००
६९.०४	150 mm dia	Mrt	७०००	७०००	७०००	७०००
६९.०५	200mm dia	Mrt	९०००	९०००	९०००	९०००
६९.०६	250mm dia	Mrt	१३०००	१३०००	१३०००	१३०००
६९.०७	300mm dia	Mrt	१७५००	१७५००	१७५००	१७५००
७०.००	DI Pipe Spigot Pipe C-40					
७०.०१	80 mm dia	Mrt	२४५०	२४५०	२४५०	२४५०
७०.०२	100mm dia	Mrt	२७५०	२७५०	२७५०	२७५०
७०.०३	125mm dia	Mrt	३७५०	३७५०	३७५०	३७५०
७०.०४	150 mm dia	Mrt	४५००	४५००	४५००	४५००
७०.०५	200mm dia	Mrt	७०००	७०००	७०००	७०००
७०.०६	250mm dia	Mrt	९०००	९०००	९०००	९०००
७०.०७	300mm dia	Mrt	११५००	११५००	११५००	११५००
७१.००	CI Sluice valve					
७१.०१	65 mm Dia	No	११५००	११५००	११५००	११५००
७१.०२	80 mm Dia	No	१३५००	१३५००	१३५००	१३५००
७१.०३	100mm Dia	No	१७५००	१७५००	१७५००	१७५००
७१.०४	125mm Dia	No	२१५००	२१५००	२१५००	२१५००
७१.०५	150mm Dia	No	२७५००	२७५००	२७५००	२७५००
७१.०६	200mm Dia	No	३७५००	३७५००	३७५००	३७५००
७१.०७	250mm Dia	No	४७६००	४७६००	४७६००	४७६००
७१.०८	300mm Dia	No	८९५००	८९५००	८९५००	८९५००
७२.००	DI Sluice valve					
७२.०१	65 mm Dia	No	१७५००	१७५००	१७५००	१७५००
७२.०२	80 mm Dia	No	२५५००	२५५००	२५५००	२५५००
७२.०३	100mm Dia	No	३५०००	३५०००	३५०००	३५०००
७२.०४	125mm Dia	No	४५०००	४५०००	४५०००	४५०००
७२.०५	150mm Dia	No	५२५००	५२५००	५२५००	५२५००
७२.०६	200mm Dia	No	७००००	७००००	७००००	७००००
७२.०७	250mm Dia	No	१०५०००	१०५०००	१०५०००	१०५०००


 प्रमुख, नगर प्रमुख
 नगर प्रमुख


 रामलाल डोगरा थार
 नगर प्रमुख



७२.०८	300mm Dia	No	१५१०००	१५१०००	१५१०००
७३.००	DI Duck foot bend Double Flange				
७३.०१	100mm Dia	No	७५००	७५००	७५००
७३.०२	125mm Dia	No	१२५००	१२५००	१२५००
७३.०३	150mm Dia	No	१५५००	१५५००	१५५००
७३.०४	200mm Dia	No	२१०००	२१०००	२१०००
७३.०५	250mm Dia	No	३५५००	३५५००	३५५००
७३.०६	300mm Dia	No	४५०००	४५०००	४५०००
७४.००	DI Double Flange bend 90°				
७४.०१	80mm Dia	No	५०००	५०००	५०००
७४.०२	100mm Dia	No	६०००	६०००	६०००
७४.०३	125mm Dia	No	७०००	७०००	७०००
७४.०४	150mm Dia	No	९०००	९०००	९०००
७४.०५	200mm Dia	No	१५०००	१५०००	१५०००
७४.०६	250mm Dia	No	२१०००	२१०००	२१०००
७४.०७	300mm Dia	No	२७५००	२७५००	२७५००
७५.००	DI Reducer	No			
७५.०१	300mm *250 mm	No	२५५००	२५५००	२५५००
७५.०२	250mm *200mm	No	२००००	२००००	२००००
७५.०३	200mm *150 mm	No	१५०००	१५०००	१५०००
७५.०४	150mm *125mm	No	१४५००	१४५००	१४५००
७५.०५	150mm *100mm	No	१४०००	१४०००	१४०००
७६.००	C.I None return Valve				
७६.०१	80mm Dia	No	१३५००	१३५००	१३५००
७६.०२	100mm Dia	No	१७५००	१७५००	१७५००
७६.०३	125mm Dia	No	२१५००	२१५००	२१५००
७६.०४	150mm Dia	No	२५५००	२५५००	२५५००
७६.०५	200mm Dia	No	३५५००	३५५००	३५५००
७६.०६	250mm Dia	No	४५५००	४५५००	४५५००
७६.०७	300mm Dia	No	५९०००	५९०००	५९०००
७७.००	Cast Steel None return Valve				
७७.०१	80mm Dia	No	६५५००	६५५००	६५५००
७७.०२	100mm Dia	No	७५५००	७५५००	७५५००

रामलाल इगोरा धार
नगर प्रमुख

रामलाल इगोरा धार
नगर प्रमुख



७७.०३	125mm Dia	No	८१५००	८१५००	८१५००
७७.०४	150mm Dia	No	८९५००	८९५००	८९५००
७८.००	DI All Flange Tee				
७८.०१	80mm Dia	No	७५००	७५००	७५००
७८.०२	100mm Dia	No	१२५००	१२५००	१२५००
७८.०३	125mm Dia	No	१५५००	१५५००	१५५००
७८.०४	150mm Dia	No	१७५००	१७५००	१७५००
७८.०५	200mm Dia	No	३२५००	३२५००	३२५००
७८.०६	250mm Dia	No	४१५००	४१५००	४१५००
७८.०७	300mm Dia	No	५९५००	५९५००	५९५००
७९.००	CI Mechanical Coupling				
७९.०१	150 mm dia	No	११५००	११५००	११५००
७९.०२	200 mm dia	No	१७५००	१७५००	१७५००
७९.०३	250 mm dia	No	२७५००	२७५००	२७५००
७९.०४	300 mm dia	No	४१५००	४१५००	४१५००
८०.००	CI Bell Mouth one side flange				
८०.०१	150 mm dia	No	१०५००	१०५००	१०५००
८०.०२	200 mm dia	No	१५५००	१५५००	१५५००
८०.०३	250 mm dia	No	२१५००	२१५००	२१५००
८०.०४	300 mm dia	No	३००००	३००००	३००००
८१.००	Quick Repair Joint for HDPE Pipe				
८१.०१	90 mm dia	No	७०००	७०००	७०००
८१.०२	110mm dia	No	८०००	८०००	८०००
८१.०३	125mm dia	No	१००००	१००००	१००००
८१.०४	140 mm dia	No	१२०००	१२०००	१२०००
८१.०५	160mm dia	No	१४०००	१४०००	१४०००
८१.०६	180mm dia	No	१७५००	१७५००	१७५००
८१.०७	200mm dia	No	२००००	२००००	२००००
८१.०८	250mm Dia	No	२३०००	२३०००	२३०००
८२.००	Flow meter Water Meter				
८२.०१	80mm Dia	No	५५०००	५५०००	५५०००
८२.०२	100mm Dia	No	६५०००	६५०००	६५०००
८२.०३	125mm Dia	No	७५०००	७५०००	७५०००

रामलाल डगौरा शाह
नगर प्रमुख

(Signature)



८२.०४	150mm Dia	No	८५०००	८५०००	८५०००	८५०००
८२.०५	200mm Dia	No	१०५०००	१०५०००	१०५०००	१०५०००
८२.०६	250mm Dia	No	१३५०००	१३५०००	१३५०००	१३५०००
८२.०७	300mm Dia	No	१७५०००	१७५०००	१७५०००	१७५०००
८३.००	DI unequal Tee With flange					
८३.०१	125x125x100 mm Φ	No	१७५००	१७५००	१७५००	१७५००
८३.०२	125x125x80 mm Φ	No	१७५००	१७५००	१७५००	१७५००
८३.०३	150x150x125 mm Φ	No	२१५००	२१५००	२१५००	२१५००
८३.०४	150x150x100 mm Φ	No	२२५००	२२५००	२२५००	२२५००
८३.०५	150x150x80mm Φ	No	२३५००	२३५००	२३५००	२३५००
८३.०६	200x200x150 mm Φ	No	३७५००	३७५००	३७५००	३७५००
८३.०७	200x200x125 mm Φ	No	४००००	४००००	४००००	४००००
८३.०८	200x200x100 mm Φ	No	४२५००	४२५००	४२५००	४२५००
८३.०९	250x250x200 mm Φ	No	५७५००	५७५००	५७५००	५७५००
८३.१०	250x250x150mm Φ	No	६००००	६००००	६००००	६००००
८३.११	250x250x125 mm Φ	No	६५०००	६५०००	६५०००	६५०००
८३.१२	250x250x100 mm Φ	No	७००००	७००००	७००००	७००००
८३.१३	Rubber Gasket	Kg	३५०	३५०	३५०	३५०
८३.१४	Nut Bolt (Different size)	Kg	२५०	२५०	२५०	२५०
८३.१५	MS Saddle Clamps Different Size with nut bolt all complete	No	४५००	४५००	४५००	४५००
८४.००	HDPE Saddle Clamp					
८४.०१	160*160*15 Dia (HDPE*HDPE)	No	१२५०	१२५०	१२५०	१२५०
८४.०२	140*140*15 Dia (HDPE*HDPE)	No	११००	११००	११००	११००
८४.०३	125*125*15 Dia (HDPE*HDPE)	No	१०००	१०००	१०००	१०००
८४.०४	110*110*15 Dia (HDPE*HDPE)	No	६५०	६५०	६५०	६५०
८४.०५	90*90*15 Dia (HDPE*HDPE)	No	६५०	६५०	६५०	६५०
८४.०६	75*75*15 Dia (HDPE*HDPE)	No	४५०	४५०	४५०	४५०
८४.०७	63*63*15 Dia (HDPE*HDPE)	No	४५०	४५०	४५०	४५०
८४.०८	50*50*15 Dia (HDPE*HDPE)	No	३५०	३५०	३५०	३५०
८४.०९	40*40*15 Dia (HDPE*HDPE)	No	३५०	३५०	३५०	३५०
८४.१०	32*32*15 Dia (HDPE*HDPE)	No	२५०	२५०	२५०	२५०
८५.००	MS Flange Cutting, Welding, Grading, Instalation					

रामलाल डगौरा थापर
नगर प्रमुख



क्र.सं.	विवरण	मात्रा	इकाई	दर	कुल मूल्य
८५.०१	80mm Dia	No	७५०		७५०
८५.०२	100mm Dia	No	१०००	१०००	१०००
८५.०३	125mm Dia	No	१३५०	१३५०	१३५०
८५.०४	150mm Dia	No	१५५०	१५५०	१५५०
८५.०५	200mm Dia	No	२२५०	२२५०	२२५०
८५.०६	250mm Dia	No	३०००	३०००	३०००
८५.०७	300mm Dia	No	५०००	५०००	५०००
८५.०८	250 mm dia Top surface plate	No	३५०००	३५०००	३५०००
८५.०९	pressure gage	No	५५००	५५००	५५००
८५.१०	Chain Pulji 3 ton	No	४५०००	४५०००	४५०००
८५.११	4" Pipe Clamp	No	६५००	६५००	६५००
८५.१२	Wire Rope for Pump Lowering	Mtr	५५००	५५००	५५००
८५.१३	Distribution board	Set	७५०००	७५०००	७५०००
८५.१४	OHT Lighting Arrestor	Set	२५०००	२५०००	२५०००
८५.१५	OHT Water level indicator	Set	६५०००	६५०००	६५०००
	बीजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
८६	गल (सव्वल)	गोटा	११३३	११३३	११८९
८७	फरुवा	गोटा	३२४	३२४	३४०
८८	दाते, नग्रे	गोटा	५८७	५८७	६१६
८९	धुर्मुस ५ केजी	गोटा	१०३०	१०३०	१०८०
९०	हजारी	गोटा	८५४	८५४	८९५
९१	बासको टोकरी	गोटा	१८५	१८५	१९४
९२	हसिया				
९२.१	क) सानो	गोटा	२६७	२६७	२८०
९२.२	ख) ठुलो	गोटा	८६५	८६५	९००
९३	ठुलो कोवाल	गोटा	५२५३	५२५३	५५१५
९४	हतौडा	के.जी.	२३६	२३६	२४५
९५	हावा भर्ने पम्प (खुट्टाले)	गोटा	१०८१	१०८१	११३५
९६	हावा भर्ने पम्प (हातले)	गोटा	३२४	३२४	३४०
९७	बन्चरो	गोटा	१८५४	१८५४	१९४५
९८	सेफ्टी भेष्ट पहलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	५६६	५६६	५९०

प्रमुख प्रशासकीय अधिकारी
नगर प्रमुख

रामलाल डगौरा थारु
नगर प्रमुख



९९	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	४५३	४५३	४५३	४७५
१००	मास्क	गोटा	५९	५९	५९	६०
१०१	गम बुट	गोटा	८२४	८२४	८२४	८६५
१०२	कपडाको जुता	गोटा	७२१	७२१	७२१	७५७
१०३	रेनकोट	गोटा	२५७५	२५७५	२५७५	२७००
१०४	कडा पन्जा	गोटा	३०९	३०९	३०९	३२४
१०५	सन ग्लास	गोटा	६१८	६१८	६१८	६४५
१०६	पाँच ली. को प्लास्टिक जेरीकेन	गोटा	१२३	१२३	१२३	१२९
१०७	बेल्टा	गोटा	६६९	६६९	६६९	७००
१०८	गैटी	गोटा	७२१	७२१	७२१	७७५
१०९	कोदालो/फाउडो	गोटा	६१८	६१८	६१८	६४५
११०	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	६१८	६१८	६१८	६४५
१११	फोर्कड हेरो	गोटा	२५७	२५७	२५७	२६५
११२	क्लील बेरो					
११२.१	क) हलुका	गोटा	७७२५	७७२५	७७२५	७७२५
११२.२	ख) हेभी	गोटा	९७८५	९७८५	९७८५	९७८५
११३	छिनो १X६ इन्चको	गोटा	३०९	३०९	३०९	३०९
११४	छिनो १X१२ इन्चको	गोटा	४१२	४१२	४१२	४१२
११५	घन ५ किलोको	गोटा	९९९	९९९	९९९	९९९
११६	घन १० किलोको	गोटा	१६४८	१६४८	१६४८	१६४८
११७	लिटिड प्लेट १०० मि.मि.को	गोटा	७२१	७२१	७२१	७२१
११८	लिटिड प्लेट १५० मि.मि.को	गोटा	१४४२	१४४२	१४४२	१४४२
११९	टेफ्लोन कभर	मी.	२३९९	२३९९	२३९९	२३९९
१२०	थर्मोकोम चक	गोटा	५४०	५४०	५४०	५४०
१२१	ब्लो टर्च	गोटा	५९४	५९४	५९४	५९४
१२२	बर्नर	गोटा	१०८१	१०८१	१०८१	१०८१
१२३	पाईप रेन्च १४ इन्ची	गोटा	६९०	६९०	६९०	६९०
१२४	पाईप रेन्च १८ इन्ची	गोटा	८४९	८४९	८४९	८४९
१२५	पाईप रेन्च २४ इन्ची	गोटा	१५४५	१५४५	१५४५	१५४५
१२६	पाईप चैन रेन्च ४८ इन्ची	इन्ची	१०२	१०२	१०२	१०२
१२७	हेक्सा फेम	गोटा	१३५	१३५	१३५	१३५


 रामलाल डबारा थाक
 नगर प्रमुख


 रामलाल डबारा थाक



१२८	हेक्सा ब्लेड	गोटा	२१	२१	२१
१२९	एडजस्टेबल रेन्च	गोटा	६४८	६४८	६४८
१३०	फलामे तसला	गोटा	२१६	२१६	२१६
१३१	कर्नी	गोटा	१२८	१२८	१२८
१३२	रेती	गोटा	३८१	३८१	३८१
१३३	वायर ब्रश	गोटा	७७	७७	७७
१३४	डाई सेट १/२" देखि १" साधारण	गोटा	२५७५	२५७५	२५७५
१३५	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	३८३६	३८३६	३८३६
१३६	डाई सेट १.२५" देखि २" साधारण	गोटा	४३२६	४३२६	४३२६
१३७	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	८१५३	८१५३	८१५३
१३८	डाई सेट टीथ १/२" देखि १" साधारण Richard or Equivalent	गोटा	२६०१	२६०१	२६०१
१३९	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	३५८२	३५८२	३५८२
१४०	डाई टीथ आयल भाँडो समेत	लीटर	५४०	५४०	५४०
१४१	टेबुल भाईस, २"	गोटा	२२६६	२२६६	२२६६
१४२	टेबुल भाईस, ३"	गोटा	२७५८	२७५८	२७५८
१४३	मेजरिड टेप ५ मिटर	गोटा	२१६	२१६	२१६
१४४	मेजरिड टेप ३० मिटर	गोटा	७७२	७७२	७७२
१४५	काठे हाते आरी / करौति	गोटा	५१५	५१५	५१५
१४६	टुल बक्स १४x ८x १२ इन्च साइजको	गोटा	२५७५	२५७५	२५७५
१४७	सेनेटरी (सरसफाई) तर्फ				
	युरिनल सेट				
१४७.०१	१०.५"X१४.५"X१२.५" को (राम्रो)	गोटा	१७३२	१७३२	१७३२
१४७.०२	" " (साधारण)	गोटा	११५५	११५५	११५५
१४७.०३	६x३० से.मि. लेडिज युरिनल (राम्रो)	सेट	२२०५	२२०५	२२०५
१४७.०४	" " (साधारण)	सेट	१२६०	१२६०	१२६०
१४८	सिपी बेण्ड सहितको साबर	गोटा	१४४३	१४४३	१४४३
१४९	तौलिया रड				
१४९.०१	१८"X०.५" (राम्रो)	गोटा	११०२	११०२	११०२
१४९.०२	१८"X०.५" (साधारण)	गोटा	६५६	६५६	६५६
१५०	सी.पी. सोप डिस	गोटा	५५१	५५१	५५१

रामलाल डगौरा थाप
नगर प्रमुख

रामलाल डगौरा थाप
नगर प्रमुख



१५१	१२"X१८" को बाथरूम ऐना	गोटा	११०२	११०२	११०२	११०२
१५२	बास वेसिन सेट					
१५२.०१	२०"X१६" को (राम्रो)	सेट	२६२५	२६२५	२६२५	२६२५
१५२.०२	१६"X२२" को बास वेसिन सेट (राम्रो)	सेट	३६७५	३६७५	३६७५	३६७५
१५३	लो लेभल सिस्टर्न					
१५३.०१	(राम्रो) सेरामिक	सेट	६८२५	६८२५	६८२५	६८२५
१५३.०२	लो लेभल सिस्टर्न (प्लास्टीक)	सेट	२३१०	२३१०	२३१०	२३१०
१५४	एच.डी.पी. कोबल २"Ø को	सेट	६८	६८	६८	६८
१५५	दयाइलेट सिट (वाटर क्लोसेट)					
१५५.०१	१८" भारती पायदान सहित (ISI)	सेट	२६००	२६००	२६००	२६००
१५५.०२	१८" भारती लोकल पायदान सहित	सेट	१५००	१५००	१५००	१५००
१५५.०३	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	२४१५	२४१५	२४१५	२४१५
१५५.०४	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	१२१५	१२१५	१२१५	१२१५
१५५.०५	कमोड पि वा एस टयाप (ISI)	सेट	३६००	३६००	३६००	३६००
१५५.०६	कमोड पि वा एस टयाप (local)	सेट	१८५०	१८५०	१८५०	१८५०
१५५.०७	इकोस्यान प्यान सेट	सेट	१९००	१९००	१९००	१९००
१५५.०८	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१९०००	१९०००	१९०००	१९०००
१५५.०९	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२१०००	२१०००	२१०००	२१०००
१५५.१०	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	३००००	३००००	३००००	३००००
१५६	११/४" सि.पि.पाईप कपलिंग समेत	गोटा	९७१	९७१	९७१	९७१
१५७	११/४" सि.पि.पाईप पि.वा एस टयाप	गोटा	११५५	११५५	११५५	११५५
१५८	१/८" फेन्सी पिल्ट कक	गोटा	१०५०	१०५०	१०५०	१०५०
१५९	१/८" Ø ३० " पाईप कनेक्टर	गोटा	२३१	२३१	२३१	२३१
१६०	सिङ्ग					

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



१६०.०१	१८ X २२ X ८ इन्ची स्टील	गोटा	३२३४	३२३४	३२३४
१६०.०२	१८ X ३८ X ८ इन्ची स्टील	गोटा	४६२०	४६२०	४६२०
१६०.०३	१८ X २२ X ८ सि, फलामे	गोटा	२३१०	२३१०	२३१०
१६१	१ १/२" वासर कपलिङ्ग	गोटा	५५१	५५१	५५१
१६२	१ १/२" पितलको बिब कक	गोटा	३५०	३५०	३५०
१६३	१ १/२" सि.पि बिब कक	गोटा	१०००	१०००	१०००
१६४	१ १/२" सि.पि स्टप कक	गोटा	९५०	९५०	९५०
१६५	१ १/२" कनेक्टर स्टप कक	गोटा	७५०	७५०	७५०
१६६	पि.भि.सि. पाइप तथा फिटिङ्ग				
१६६.०१	११०mm dia ४kg/cm ² (६m long)	पीस	३०८०	३०८०	३०००
१६६.०२	११०mm dia ४kg/cm ² (३m long)	पीस			१५००
१६६.०२	७५mm dia ४kg/cm ² (६m long)	पीस	१५५०	१५५०	१५८४
१६६.०३	७५mm dia ४kg/cm ² (३m long)	पीस			७९२
१६६.०३	५०mm dia ६kg/cm ² (३m long)	पीस			५००
१६६.०४	५०mm bend ८७.५°	पीस			७८
१६६.०४	७५mm bend ८७.५°	पीस			२१२
१६६.०५	११०mm bend ८७.५°	पीस			३८४
१६६.०५	५०mm bend ४५°	पीस			७३
१६६.०६	७५mm bend ४५°	पीस			१८०
१६६.०६	११०mm bend ४५°	पीस			३३३
१६६.०७	५०mm coupler	पीस			७८
१६६.०७	७५mm coupler	पीस			१७४
१६६.०८	११०mm coupler	पीस			२९२
१६६.०३	४" छ को सकेट	पीस	३२०	३२०	३२०
१६६.०४	४" छ को हर्न वेण्ड	पीस	७८०	७८०	७८०
१६६.०५	४" छ को वेण्ड	पीस	४३०	४३०	४३०

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



१६६.०६	४"Ø को टी	पीस	५९०	५९०	५९०
१६६.०७	३"Ø को सकेट	पीस	२१०	२१०	२१०
१६६.०८	३"Ø को वेण्ड	पीस	३३०	३३०	३३०
१६६.०९	३"Ø को टी	पीस	३८०	३८०	३८०
१६७	एच.डी.पि.इ. फिटिङ				
१६७.०१	४"Ø को सकेट	पीस	२१०	२१०	२१०
१६७.०२	४"Ø को हर्न वेण्ड	पीस	४२०	४२०	४२०
१६७.०३	४"Ø को वेण्ड	पीस	३६७	३६७	३६७
१६८.००	Stainless Steel Shower rose	गोटा			४४४
१६७.०४	15mm fancy type angle valve	गोटा			४५१
१६७.०६	15mm CPVC gate valve	गोटा			७०५
१६७.०७	20 mm CPVC gate valve	गोटा			९०३
१६७.०८	15 mm (1/2") CPVC Pipe SDR 13.5 CTS	मीटर			१२८
१६७.०९	20 mm (3/4") CPVC Pipe SDR 13.5 CTS	मीटर			२१०
१६७.१०	25 mm (1") CPVC Pipe SDR 13.5 CTS	मीटर			२९०
१६७.११	32 mm (1 1/4") CPVC Pipe SDR 13.5 CTS	मीटर			४१५
१६७.१२	40 mm (1 1/2") CPVC Pipe SDR 13.5 CTS	मीटर			५९५
१६७.१३	50 mm (2") CPVC Pipe SDR 13.5 CTS	मीटर			९६६
१६७.१४	Floor Trap multi trap 11x7.5cm (4" X 2 1/2")	गोटा			३६७
१६७.१५	Stainless steel wall mixture complete set.	गोटा			४९५०
१६७.१६	20 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	मीटर			६८
१६७.१७	25mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	मीटर			१०३
१६७.१८	32 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	मीटर			१६६
१६७.१९	40 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	मीटर			२६२
१६७.२०	50 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	मीटर			४०६
१६८	रंगारोगनका सामग्री				
१६८.०१	खाकसी	गोटा	२७	२७	२७
१६८.०२	गुद	के.जी.	२३०	२३०	२३०
१६८.०३	सरेस	के.जी.	२१९	२१९	२१९
१६८.०४	आक्यालिक डिस्टरम्पर	के.जी.	२०७	२०७	२०७

रामलाल डगौरा थाव
नगर प्रमुख

रामलाल डगौरा थाव
नगर प्रमुख



क्र.सं.	वासेबल डिस्टेंस	के.जी.	२७५	२७५	२७५
१६८.०५	वासेबल डिस्टेंस	के.जी.			
१६८.०६	सिमेन्ट प्राइमर Internal	लिटर	४३०	३९०	३९०
१६८.०७	तयारी इनामेल पेन्ट	लिटर	६५८	७००	७००
१६८.०८	इनामेल प्राइमर (काठ)	लिटर	४३०	४३०	४३०
१६८.०९	इनामेल प्राइमर (फलाम)	लिटर	३८०	३८०	३८०
१६८.१०	प्लास्टिक इमोलान पेन्ट (एक्स्टेरियर) राम्रो	लिटर	११५०	१०५०	१०५०
१६८.११	प्लास्टिक इमोलान पेन्ट (एक्स्टेरियर) मध्यम	लिटर	९३०	८५०	८५०
१६८.१२	प्लास्टिक इमोलान पेन्ट (इन्टरियर) राम्रो	लिटर	१०९७	१०९७	१०९७
१६८.१३	प्लास्टिक इमोलान पेन्ट (इन्टरियर) मध्यम	लिटर	८५०	८५०	८५०
१६८.१४	तयारी अल्मुनिम पेन्ट	लिटर	६५८	६५८	६५८
१६८.१५	वार्निश क्लियर	लिटर	४१५	४१५	४१५
१६८.१६	अलकना पेन्ट (Black Japan)	लिटर	३३०	३३०	३३०
१६८.१७	तारपिन तेल	लिटर	२००	२००	२००
१६८.१८	चुना	के.जी.	२४	२४	२४
१६८.१९	गेरू रंग	के.जी.	५९	५९	५९
१६८.२०	लिन्सीड आयल	लिटर	२२०	२२०	२२०
१६८.२१	चप्रा	के.जी.	७६०	७६०	७६०
१६८.२२	स्त्रीट	लिटर	१७५	१७५	१७५
१६८.२३	स्तोसेम (सिमेन्ट पेन्ट)	के.जी.	८३	८३	८३
१६८.२४	वेदर कोट पेन्ट (राम्रो) NS/IS	लिटर	१३१५	१२६०	१२६०
१६८.२५	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	९३२	८९२	८९२
१६८.२६	वेदर कोट प्राइमर outer	लिटर	४०९	४००	४००
१६८.२७	वाटर प्रूफिंग कम्पाउण्ड (जापनिज)	के.जी.	३४४	३४४	३४४
१६८.२८	Wall Putty- Inner	के.जी.	४१	४०	४०
१६८.२९	Wall Putty- Water Proof (Outer)	के.जी.	६२	६५	६५
१६८.३०	Plaster of paris (POP)	के.जी.	२५	२५	२५
१६९	कंक्रीट ग्रेडन्टस्				
१६९.०१	ह्युम पाईप (डुवानी बाहेक)				
१६९.०२	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१०९२०	१०९२०	१०९२०
१६९.०३	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	१३६८०	१३६८०	१३६८०
१६९.०४	४५० Ø को एनपी-३ को कोलार	गोटा	१३६७	१३६७	१३६७
१६९.०५	६०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१८६६०	१८६६०	१८६६०
१६९.०६	६०० Ø को एनपी-३ को कोलार	गोटा	१८६०	१८६०	१८६०

प्रमुख
आवासिय शिबिर
नगर प्रमुख



रामलाल दुगौरा थाह
नगर प्रमुख



१६९.०६	१०० छ को एनपी-३ को (२.५मीटर)	गोटा	३०६४०	३०६४०	३०६४०	३०६४०
१६९.०७	१०० छ को एनपी-३ को कोलार	गोटा	३०६४	३०६४	३०६४	३०६४
१६९.०८	१२०० छ को एनपी-३ को (२.५मीटर)	गोटा	४२३१०	४२३१०	४२३१०	४२३१०
१६९.०९	१२०० छ को एनपी-३ को कोलार	गोटा	४२३३०	४२३३०	४२३३०	४२३३०
१६९.१०	१०० छ को एनपी-२ को (२.५मीटर)	गोटा	२३३०	२३३०	२३३०	२३३०
१६९.११	१०० छ को एनपी-२ को कोलार	गोटा	२३३	२३३	२३३	२३३
१६९.१२	१५० छ को एनपी-२ को (२.५मीटर)	गोटा	२६२०	२६२०	२६२०	२६२०
१६९.१३	१५० छ को एनपी-२ को कोलार	गोटा	२६०	२६०	२६०	२६०
१६९.१४	२०० छ को एनपी-२ को (२.५मीटर)	गोटा	३५००	३५००	३५००	३५००
१६९.१५	२०० छ को एनपी-२ को कोलार	गोटा	३५०	३५०	३५०	३५०
१६९.१६	२२५ छ को एनपी-२ को (२.५मीटर)	गोटा	४२००	४२००	४२००	४२००
१६९.१७	२२५ छ को एनपी-२ को कोलार	गोटा	४२०	४२०	४२०	४२०
१६९.१८	२५० छ को एनपी-२ को (२.५मीटर)	गोटा	४६८०	४६८०	४६८०	४६८०
१६९.१९	२५० छ को एनपी-२ को कोलार	गोटा	४६५	४६५	४६५	४६५
१६९.२०	३०० छ को एनपी-२ को (२.५मीटर)	गोटा	६५८३	६५८३	६५८३	६५८३
१६९.२१	३०० छ को एनपी-२ को कोलार	गोटा	६६०	६६०	६६०	६६०
१६९.२२	३५० छ को एनपी-२ को (२.५मीटर)	गोटा	६७७६	६७७६	६७७६	६७७६
१६९.२३	३५० छ को एनपी-२ को कोलार	गोटा	६७५	६७५	६७५	६७५
१६९.२४	३७५ छ को एनपी-२ को (२.५मीटर)	गोटा	६८८०	६८८०	६८८०	६८८०
१६९.२५	३७५ छ को एनपी-२ को कोलार	गोटा	६८५	६८५	६८५	६८५
१६९.२६	४०० छ को एनपी-२ को (२.५मीटर)	गोटा	७०००	७०००	७०००	७०००
१६९.२७	४०० छ को एनपी-२ को कोलार	गोटा	७००	७००	७००	७००
१६९.२८	४५० छ को एनपी-२ को (२.५मीटर)	गोटा	८६००	८६००	८६००	८६००
१६९.२९	४५० छ को एनपी-२ को कोलार	गोटा	८६०	८६०	८६०	८६०
१६९.३०	५०० छ को एनपी-२ को (२.५मीटर)	गोटा	९८३०	९८३०	९८३०	९८३०
१६९.३१	५०० छ को एनपी-२ को कोलार	गोटा	९८०	९८०	९८०	९८०
१६९.३२	६०० छ को एनपी-२ को (२.५मीटर)	गोटा	१२०००	१२०००	१२०००	१२०००
१६९.३३	६०० छ को एनपी-२ को कोलार	गोटा	१२००	१२००	१२००	१२००
१६९.३४	७०० छ को एनपी-२ को (२.५मीटर)	गोटा	१३०००	१३०००	१३०००	१३०००
१६९.३५	७०० छ को एनपी-२ को कोलार	गोटा	१३००	१३००	१३००	१३००
१६९.३६	७५० छ को एनपी-२ को (२.५मीटर)	गोटा	१४०००	१४०००	१४०००	१४०००
१६९.३७	७५० छ को एनपी-२ को कोलार	गोटा	१४००	१४००	१४००	१४००




 रामलाल डंगरा थाप
 नगर प्रमुख


 प्रकाशप्रसाद अधिकारी
 प्रमुख

१६९.३८	८०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१६३००	१६३००	१६३००	१६३००
१६९.३९	८०० Ø को एनपी-२ को कोलार	गोटा	१६३०	१६३०	१६३०	१६३०
१६९.४०	९०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१७६७०	१७६७०	१७६७०	१७६७०
१६९.४१	९०० Ø को एनपी-२ को कोलार	गोटा	१७६०	१७६०	१७६०	१७६०
१६९.४२	१००० Ø को एनपी-२ को (२.५मीटर)	गोटा	२२१४०	२२१४०	२२१४०	२२१४०
१६९.४३	१००० Ø को एनपी-२ को कोलार	गोटा	२२१०	२२१०	२२१०	२२१०
१६९.४४	१२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२९२३०	२९२३०	२९२३०	२९२३०
१६९.४५	१२०० Ø को एनपी-२ को कोलार	गोटा	२९२०	२९२०	२९२०	२९२०
१६९.४६	१५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	३९७४०	३९७४०	३९७४०	३९७४०
१६९.४७	१५०० Ø को एनपी-२ को कोलार	गोटा	३९७५	३९७५	३९७५	३९७५
१६९.४८	50 mm thick Cement Concrete Block -Interlocking	ब.फि.	९०	९०	९०	९०
१६९.४९	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	९५	९५	९५	९५
१६९.५०	60 mm thick Cement Concrete Block -Interlocking	ब.फि.	१०५	१०५	१०५	१०५
१६९.५१	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	११०	११०	११०	११०
१६९.५२	AAC Block(600x200x100mm)	गोटा	१७९.३५	१७९.३५	१७९.३५	१८८
१६९.५३	AAC Block(600x200x150mm)	गोटा	२६९.०४	२६९.०४	२६९.०४	२८२
१६९.५४	AAC Block(600x200x200mm)	गोटा	३५८.६५	३५८.६५	३५८.६५	३७६
१६९.५५	Aerolite AAC Block (Size 600x200x100mm)	गोटा	१५६	१५६	१५६	१५६
१६९.५६	Aerolite AAC Block (Size 600x200x150mm)	गोटा	२३४	२३४	२३४	२३४
१६९.५७	Aerolite AAC Block (Size 600x200x200mm)	गोटा	३१२	३१२	३१२	३१२
१७०	Interlock Paver, Kerb Stone, Concrete Tile					
१७०.०१	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	३८	३८	३८	३९


प्र. प्रमुख प्रशासकीय अधिकृत

रामलाल डगौरा थाट नगर प्रमुख



१७०.०२	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४४	४४	४५
१७०.०३	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४७	४७	४८
१७०.०४	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	४६	४७	४०
१७०.०५	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	४३	४५	४७
१७०.०६	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	४५	४७	४९
१७०.०७	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	६५	६६	६८
१७०.०८	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७०	७१	७३
१७०.०९	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७५	७६	७८



 श्री. रामलाल डगौरा
 नगर प्रमुख


 रामलाल डगौरा थार
 नगर प्रमुख



१७०.१०	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	७४	७६	७७
१७०.११	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८१	८३	८४
१७०.१२	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८४	८५	८८
१७०.१३	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा	४३	४३	४४
१७०.१४	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा	४९	४९	५०
१७०.१५	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा	५३	५४	५६
१७०.१६	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	गोटा	८८	८८	९०
१७०.१७	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	गोटा	९६	९६	९८

डा. वि. वि. वि.
महोदय, प्रमुख, नगर प्रमुख


रामलाल डगोरा थाह
नगर प्रमुख



१७०.१८	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	९९	१००	१०२
१७०.१९	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२५	२५	२६
१७०.२०	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२६	२६	२७
१७०.२१	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२२	२२	२३
१७०.२२	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२३	२३	२४
१७०.२३	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	५३	५३	५४
१७०.२४	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	६१	६१	६२

रामलाल डगौरा थाक
नगर प्रमुख

रामलाल डगौरा थाक
नगर प्रमुख



१७०.२५	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	६४	६५	६८
१७०.२६	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	६८	६९	७१
१७०.२७	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७५	७६	७८
१७०.२८	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७८	७९	८१
१७०.२९	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	६८	६९	७२
१७०.३०	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	८३	८४	८८
१७०.३१	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	८८	९०	९४
१७०.३२	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	८४	८४	८६

श्री. अ. क. शर्मा
 नगर प्रमुख
 डी.पी.ओ. कार्यालय
 डी.पी.ओ. कार्यालय
 डी.पी.ओ. कार्यालय
 डी.पी.ओ. कार्यालय

रामलाल डगौरा थाव
 नगर प्रमुख



१७०.३३	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	९९	९९	१०१	
१७०.३४	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	१०४	१०५	१०६	
१७०.३५	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	गोटा	४००	४०५	४०५	
१७०.३६	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४५०	४५५	४६०	
१७०.३७	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४७५	४८०	४८५	
१७०.३८	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा	४२५	४३०	४३५	
१७०.३९	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा	४४५	४५०	४६०	
१७०.४०	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४८०	४८५	४९०	

रामलाल डगौरा थार नगर प्रमुख

रामलाल डगौरा थार नगर प्रमुख



१७०.४१	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	गोटा	५०५	५११	५२०
१७०.४२	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट	६६०	६७०	७००
१७०.४३	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour, water absorption <6%.	गोटा	२३०	२३५	२४०
१७०.४४	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा	२६०	२६५	२७०
१७०.४५	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा	२८०	२८५	३००
१७१	सडक सम्बन्धि Pre-stressing Accessories				
१७१.०१	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	१७२	१७२	१७२
१७१.०२	19JK13, Anchor set 1- Tube unit, 1 Bearing plate, 19 live wedge	सेट	७२०००	७२०००	७२०००
१७१.०३	Supply, Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	३८०	३८०	३८०
१७१.०४	Strip Seal Expansion Joints	मि.	१६०००	१६०००	१६०००
१७१.०५	Slab Seal Expansion Joints	मि.	२८०००	२८०००	२८०००
१७१.०६	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	१५००००	१५००००	१५००००
१७१.०७	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	१३००००	१३००००	१३००००
१७१.०८	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	११५०००	११५०००	११५०००

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



१७१.०९	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	४००००	४००००	४००००
१७१.१०	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	३००००	३००००	३००००
१७१.११	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	२५०००	२५०००	२५०००
१७१.१२	Drainage spout 100mm dia GI Pipe	गोटा	४०००	४०००	४०००
१७२	HDPE DOUBLE WALLED Corrugated Pipes based on IS16098 PART-2,2013-SN4				
१७२.०१	ID=100mm	मि.			
१७२.०२	ID=135mm	मि.			
१७२.०३	ID=170mm	मि.			
१७२.०४	ID=200mm	मि.			
१७२.०५	ID=250mm	मि.			
१७२.०६	ID=300mm	मि.			
१७२.०७	ID=400mm	मि.			
१७२.०८	ID=500mm	मि.			
१७२	HDPE DOUBLE WALLED Corrugated Pipes-SN8 (Non Pressure) 6m in length				
१७२.०१	ID=100mm	मि.	४५०	४००	४५०
१७२.०२	ID=150mm	मि.	१०१६	१०६६	११७३
१७२.०३	ID=200mm	मि.	१५५०	१६२५	१७८८
१७२.०४	ID=250mm	मि.	२०३०	२१००	२३१०
१७२.०५	ID=300mm	मि.	३३१५	३४५०	३७९५
१७२.०६	ID=400mm	मि.	४२००	४४००	४८४०
१७२.०७	ID=500mm	मि.	५२००	५४५०	५९९५
१७२.०८	ID=600mm	मि.	८८८०	९३२०	१०२५०
१७२.०९	ID=800mm	मि.	१३१६०	१३८१०	१५२००
१७२.१०	ID=1000mm	मि.	१८४००	१९५००	२१४५०
१७३	कंक्रीट विद्युत पोल (ढुवानी बाहेक)				
१७३.०१	८ मिटर लामो	गोटा	६३००	६३००	६३००
१७३.०२	९ मिटर लामो	गोटा	७२३८	७२३८	७२३८
१७३.०३	१० मिटर लामो	गोटा	१३६४८	१३६४८	१३६४८

रामलाल डगौरा यादव
नगर प्रमुख

रामलाल डगौरा यादव
नगर प्रमुख



१७३.०४	११ मिटर लामो	गोटा	१५७३	१५७३	१५७३
१७४	स्टील द्युबलर पोल (डुवानी बाहेक)				
१७४.०१	८ मिटर लामो (१२० के.जी.)	गोटा	११८९१	११८९१	११८९१
१७४.०२	९ मिटर लामो (१४७ के.जी.)	गोटा	१६८५५	१६८५५	१६८५५
१७४.०३	११ मिटर लामो (१७५ के.जी.)	गोटा	२०६८०	२०६८०	२०६८०
१७५	एस सी एस आर कण्डक्टर				
१७५.०१	ACSR Dog Conductor	कि.मी.	AS PER NEA Rate		
१७५.०२	ACSR Rabbit Conductor	कि.मी.	AS PER NEA Rate		
१७५.०३	ACSR Weasel Conductor	कि.मी.	AS PER NEA Rate		
१७६	Insulator				
१७६.०१	11 kV Pin Insulator with Spindle	सेट	९५०	९५०	९५०
१७६.०२	11 kV Disc Insulator with tension Clamp	सेट	१८००	१८००	१८००
१७६.०३	D-Iron with Sackle	सेट	२५०	२५०	२५०
१७७	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
१७७.०१	६ फिट लामो ३X४ इन्चीको	गोटा	६३०	६३०	६३०
१७७.०२	७ फिट लामो ३X४ इन्चीको	गोटा	८६१	८६१	८६१
१७७.०३	६ फिट लामो ४X४ इन्चीको	गोटा	८५०	८५०	८५०
१७७.०४	७ फिट लामो ४X४ इन्चीको	गोटा	९९७	९९७	९९७
१७७.०५	८ फिट लामो ४X४ इन्चीको	गोटा	१३१२	१३१२	१३१२
१७७.०६	१.५ मि. लामो ६X६ इन्चीको	गोटा	२३१०	२३१०	२३१०
१७७.०७	१ मि. लामो ६X६ इन्चीको	गोटा	१५७५	१५७५	१५७५
१७८	कंक्रीट रिड (३' ब्यास, १' उचाइ र २" मोटो)	गोटा	८२९	८२९	८२९
१७९	कंक्रीट रिड कवर (३' ब्यास र २" मोटाइ)	गोटा	८२९	८२९	८२९
१८०	कंक्रीट आर.सी.सी. रेलिड पोस्ट १ फुट	गोटा	७८	७८	७८
१८१	कंक्रीट आर.सी.सी. रेलिड पोस्ट २ फुट	गोटा	११५	११५	११५
१८२	कंक्रीट आर.सी.सी. रेलिड पोस्ट ३ फुट	गोटा	१५७	१५७	१५७
	मेरीनरी				
१८३	पम्पसेट तथा र्यामर				

महोदय
 नगर प्रमुख
 रामलाल डगौरा थापा
 नगर प्रमुख



१८३.०१	१/२ हर्ष पावरको चाईनिज	गोटा	४५२०	४५२०	४५२०	४५२०
१८३.०२	१ " "	गोटा	८०००	८०००	८०००	८०००
१८३.०३	२ " "	गोटा	१९३००	१९३००	१९३००	१९३००
१८३.०४	३ " "	गोटा	३२२९०	३२२९०	३२२९०	३२२९०
१८३.०५	१/४ हर्ष पावरको भारती (ISI)	गोटा	९६८५	९६८५	९६८५	९६८५
१८३.०६	१ " " (ISI)	गोटा	१७२२०	१७२२०	१७२२०	१७२२०
१८३.०७	२ " " (ISI)	गोटा	२६९००	२६९००	२६९००	२६९००
१८३.०८	३ " " (ISI)	गोटा	४३०००	४३०००	४३०००	४३०००
१८४	इण्डियन सबमर्सिबल पम्प (स्टेन्डर्ड कम्पनि)					
१८४.०१	२ हर्ष पावर	गोटा	५१३४५	५१३४५	५१३४५	५१३४५
१८४.०२	३ हर्ष पावर	गोटा	६२७६०	६२७६०	६२७६०	६२७६०
१८४.०३	५ हर्ष पावर	गोटा	७०७४५	७०७४५	७०७४५	७०७४५
१८४.०४	७.५ हर्ष पावर	गोटा	१३१२२४	१३१२२४	१३१२२४	१३१२२४
१८४.०५	१० हर्ष पावर	गोटा	१८२५७४	१८२५७४	१८२५७४	१८२५७४
१८४.०६	१२.५ हर्ष पावर	गोटा	२१५०००	२१५०००	२१५०००	२१५०००
१८४.०७	१५ हर्ष पावर	गोटा	२२१०००	२२१०००	२२१०००	२२१०००
१८४.०८	१७ हर्ष पावरको	गोटा	२३७०००	२३७०००	२३७०००	२३७०००
१८४.०९	20 Hp Submersible Pump Sets	गोटा	२६४०००	२६४०००	२६४०००	२६४०००
१८४.१०	25 Hp Submersible Pump Sets	गोटा	२९७५००	२९७५००	२९७५००	२९७५००
१८४.११	30 Hp Submersible Pump Sets	गोटा	३५६०००	३५६०००	३५६०००	३५६०००
१८४.१२	35 Hp Submersible Pump Sets	गोटा	४२५०००	४२५०००	४२५०००	४२५०००
१८५	डिजेल पम्पसेट					
१८५.०१	५ हर्ष पावरको (ISI)	गोटा	५४०००	५४०००	५४०००	५४०००
१८५.०२	८ हर्ष पावरको (ISI)	गोटा	८६०००	८६०००	८६०००	८६०००
१८६	वाटर मीटर	गोटा	१७८५	१७८५	१७८५	१७८५
	वायरिड तथा वायरिडका सामान					



रामलाल डगोरा थाप
नगर प्रमुख

रामलाल डगोरा थाप
नगर प्रमुख

१८७	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिङ गर्ने काम राम्रो मेटल बर्से, स्वीच, सिलिड. रोज आदि वायरिङ. सामान समेत प्रयोग गरी वायरिङ को काम					
१८७.०१	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९८९	१००८	१००८	१४३२
१८७.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१४०४	१४३२	१४३२	१४३२
१८७.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	११२७	११४९	११४९	११४९
१८८	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी कन्सील्ड वायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ रोज, बर्से आदि आवश्यक सम्पूर्ण सामान समेत)					
१८८.०१	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	११६२	११८४	११८४	११८४
१८८.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१२४४	१२७९	१२७९	१२७९
१८८.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९६९	९८८	९८८	९८८
१८९	पंखा					
	सिलिड. पंखा उषा,ओरिएन्ट,कम्पटन प्रिन्स वा सो सरह					
१८९.०१	३६ इञ्च	गोटा	३२५५	३२००	३२००	३२००
१८९.०२	४२ इञ्च	गोटा	३४६५	३४००	३४००	३४००
१८९.०३	४८ इञ्च	गोटा	३६७५	३६००	३६००	३६००
१८९.०४	ISI वा NS गुणस्तरको एफ्रैस्ट फेन १२ इन्चि	गोटा	३६७५	३६००	३६००	३६००
१८९.०५	चाईनिज स्टेण्ड फैन	गोटा	३४६५	३४००	३४००	३४००
१८९.०६	इण्डीयन स्टेण्ड फैन	गोटा	३९९०	३९५०	३९५०	३९५०
१८९.०७	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	४७२५	४७२५	४७२५	४७२५

प्रमुख प्रशासकीय अधिकृत
 नगर प्रमुख

रामलाल डगौरा थाप
 नगर प्रमुख



३.०	2 gang 1, 2 way switch Dyna/CPL/Anchor or eqvt.	सेट		२२०
४.०	3 gang 1, 2 way switch Dyna/CPL/Anchor or eqvt.	सेट		३००
५.०	4 gang 1, 2 way switch Dyna/CPL/Anchor or eqvt.	सेट		४००
६.०	6 gang 1, 2 way switch Dyna/CPL /Anchor or eqvt.	सेट		५८०
७.०	MAIN PANEL BOARD / DISTRIBUTION BOARD			
८.०	Distribution board 12 way SPN made of mild steel sheet double cover lockable Geco or eqvt. Surface mounted type etc all complete.	सेट		३०१२
९.०	Materials For Earthing & Lightning Protection			
१०.०	Earthing copper wire	केजि		२४२६
११.०	Copper coated earthing rod	गोटा		३८५९
१२.०	Copper strip (special)	केजि		३०८७
१३.०	GI Earthing pipe (6 ft, 1.5" diaa)	गोटा		२७५७
१४.०	Listy double lock system			
		मि.	1/2"	६५
		मि.	3/4"	८७
		मि.	1"	१२६
		मि.	1 1/2"	१८५
१५.०	Multi Strand flexible wire (90meter)			
	0.5mm SC	क्वाएल		५७८
	0.75mm SC	क्वाएल		६९६
	1.0mm SC	क्वाएल		९७३
	1.5mm SC	क्वाएल		१७३७
	2.5mm SC	क्वाएल		२०८६
	4mm SC	क्वाएल		३४७५
	5mm SC	क्वाएल		५२१२
	10mm SC	क्वाएल		९२६७
१६.०	Simple Switch Local	गोटा		२८
१७.०	Angle Holder Local	गोटा		३१
१८.०	chhatari	गोटा		४५
१९.०	Tape	गोटा		१०
२०.०	5 Ampere Electric Plug Local	गोटा		२७
२१.०	16 Ampere Electric Plug Local	गोटा		४१
२२.०	U Hook	गोटा		१३२
२३.०	Tungsten Electric Bulb 60 watt	गोटा		३९
२४.०	Tungsten Electric Bulb 100 watt	गोटा		३०

रामलाल डगौरा याद
नगर प्रमुख

रामलाल डगौरा याद
नगर प्रमुख



२५.०	Tungsten Electric Bulb 40 watt	गोटा				३६
२६.०	Tungsten Electric Bulb 0 watt	गोटा				३७
२७.०	Tungsten Electric Bulb 200 watt	गोटा				८०
२८.०	Tungsten Electric Bulb 500 watt	गोटा				३९३
२९.०	Tungsten Electric Bulb 1000 watt	गोटा				५७८
३०.०	LED FIXTURE (Logo of Related National Standard)					
	LED BULBS					
	LED BULB (WH,R,BL,OR,G,Y) 0.5 Watt B22	गोटा				६३
	LED Bulb 3 Watt B22/E27 2700K/6500K	गोटा				१२४
	LED Bulb 5 Watt B22/E27 2700K/6500K	गोटा				१३९
	LED Bulb 8.3 Watt B22/E27 2700K/6500K	गोटा				१८३
	LED Bulb 9 Watt B22/E27 2700K/6500K	गोटा				१८३
	LED Bulb 11 Watt B22/E27 2700K/6500K	गोटा				२७०
	LED Bulb 14 Watt B22/E27 2700K/6500K	गोटा				३४२
	High Power LED 20 Watt E27 2700K/6500K	गोटा				५२२
	High Power LED 28 Watt E27 2700K/6500K	गोटा				७८३
	High Power LED 40 Watt E27 2700K/6500K	गोटा				१००७
	High Power LED 50 Watt E27 2700K/6500K	गोटा				१२६२
३१.०	LED TUBELIGHTS					
	LED Tubelight 18 watt 6500k	गोटा				२६८
	LED Tubelight with holder 18 watt 6500K	गोटा				४२३
३२.०	FLOODLIGHTS					
	Flood Light 20 watt 6500K	गोटा				१३१२
	Flood Light 30 watt 6500K	गोटा				१५७३
	Flood Light 50 watt 6500K	गोटा				२२८७
	Flood Light 70 watt 6500K	गोटा				३५४३
२०१	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	१०५००	१०५००		१०५००
	अन्य सामानहरु					
२०२	खर १५से.मी व्यासको मुठा	मुठा	४४	४४		४४
२०३	नरियलको डोरी	के.जी.	१३६	१३६		१३६

२
 नरियलको डोरी

रामलाल डगौरा थाप
 नगर प्रमुख



२०४	लाइन स्टिड्ड	र.मी.	८	८	८
२०५	जिओ-व्याग(१.०५मि.×०.७ मि., ३५० ग्राम)	गोटा	३८३	३८३	३८३
२०६	नाइलन क्रेट ४.५ केजी (३X१.०५X१.०५) मि.	गोटा	२२०५	२२०५	२२०५
२०७	चटाई ३X६ फिटको	गोटा	१४४	१४४	१४४
२०८	भुसा	के.जी.	४	४	४
२०९	गोवर	के.जी.	५	५	५
२१०	खाली बोरा				
२१०.०१	सिमेन्टको खाली बोरा (पुरानो)	गोटा	१२	१२	१२
२१०.०२	सिमेन्टको खाली बोरा (नयाँ)	गोटा	२४	२४	२४
२१०.०३	जूटको खाली बोरा	गोटा	११०	११०	११०
२११	हेशन जूट	ब.मी.	२१०	२१०	२१०
२१२	नाइलन डोरी	के.जी.	२३२	२३२	२३२
२१३	मोविल (लुब्रिकेन्ट)	लीटर	६८२	६८२	६८२
२१४	गियर आयल	लीटर	६८२	६८२	६८२
२१५	ग्रिज	के.जी.	६८२	६८२	६८२
२१६	माछाका भुरा				
२१६.०१	सानो (फिगर साईज)	गोटा	०.५२	०.५२	१.५
२१६.०२	माछा (एडभान्स साईज)	गोटा	१.४१	१.४१	३
२१७	डुटो	के.जी.	२०	२०	२०
२१८	पिना	के.जी.	२१	२१	२१
२१९	दाउरा	के.जी.	१६	१६	१६
२२०	चिरपट	के.जी.	१६	१६	१६
२२१	फलामे बाल्टी	गोटा	५३७	५३७	५३७
२२२	बांसको डोको	गोटा	२३१	२३१	२३१
२२३	पोलिथिन शीट ५०० गेज	के.जी.	२२०	२२०	२२०
२२४	टारफेल्ड शीट १x२० मिमी.	के.जी.	१४१	१४१	१४१
२२५	कंक्रीट एडमिक्चर (सेफक्रीट, सेफबर्न, सेफमाइट आदि)	लीटर	३१५	३१५	३१५
२२६	सिलिका एडमिक्चर	के.जी.	३६७	३६७	३६७
२२७	स्टोभ	गोटा	१०५०	१०५०	१०५०
	बायोइन्जिनियरिङका सामान तथा पशुचौपाया सम्बन्धि				

रामलाल डगौरा थार
नगर प्रमुख

रामलाल डगौरा थार
नगर प्रमुख



२२८	विरुवाहरु							
२२८.०१	अम्लिसो		राईजोम	५.५१	५.५१	५		
२२८.०२	सुपर नेपियर		सेट	३.३	३.३	५		
२२८.०३	स्मार्ट नेपियर		सेट			१०		
२२८.०४	रेड नेपियर		सेट			१५		
२२८.०५	कास		स्ल्लप	१.१	१.१	१.१		
२२९	बास विरुवा विजवाट उत्पादन							
२२९.०१	१ वर्षे विरुवा		गोटा	५५.१२	५५.१२	५५.१२		
२२९.०२	२ वर्षे विरुवा		गोटा	८२.६८	८२.६८	८२.६८		
२२९.०३	३ वर्षे विरुवा		गोटा	१६५.३७	१६५.३७	१६५.३७		
२३०	बास राईजोम		राईजोम	४९६.१२	४९६.१२	४९६.१२		
२३१	बास विरुवा कटिड.							
२३१.०१	१ वर्षे विरुवा		गोटा	२७५.६२	२७५.६२	२७५.६२		
२३१.०२	२ वर्षे विरुवा		गोटा	३३०.७५	३३०.७५	३३०.७५		
२३१.०३	३ वर्षे विरुवा		गोटा	३८५.८७	३८५.८७	३८५.८७		
२३१.०४	निगालो		गोटा	१६.५३	१६.५३	१६.५३		
२३१.०५	डालेघास		गोटा	१७.६४	१७.६४	२०		
२३२	हिउँदे तथा बर्षे घाँसको विज							
२३२.०१	जै		कि.ग्रा.	८८.२०	८८.२०	१००.००		
२३२.०२	बर्षिम		कि.ग्रा.	३३०.७५	३३०.७५	३५०.००		
२३२.०३	भेच		कि.ग्रा.	१३२.३०	१३२.३०	१३५.००		
२३२.०४	टियोसेन्टी		कि.ग्रा.	११०.२५	११०.२५	१२५.००		
२३२.०५	बाजरा		कि.ग्रा.	१०४.७३	१०४.७३	११०.००		
२३२.०६	सुडान		कि.ग्रा.	११०.२५	११०.२५	११५.००		
२३३	बहुवर्षे तथा डालेघाँसको विरुवा							
२३३.०१	नेपियर CO4 जरासहित		स्लीप	३.३	३.३	३.३		
२३३.०२	नेपियर CO4		स्लीप	२.२	२.२	३		
२३३.०३	नेपियर (अन्य) जरासहित		स्लीप	२.२	२.२	३		
२३३.०४	मुलाटो, पास्पलम, सेटरिया, वदामे		गोटा	२.२	२.२	२.२		
२३३.०५	डाले घाँसको बेर्ना (बडहर)		गोटा	१७.६४	१७.६४	२०		
२३३.०६	डाले घाँसको बेर्ना (अन्य जात)		गोटा	१६.५३	१६.५३	१७		
२३४	प्रजननकालागि पालिने बोका बाखा							

प्रमुख प्रशासक
श्रीरामलाल शर्मा

रामलाल शर्मा
तार प्रमुख



क्र.सं.	बाखा खरी जातको	कि.ग्रा.	३८५	३८५	३८५	६५०
२३४.०१	बाखा खरी जातको	कि.ग्रा.				१०००
२३४.०२	बोका ५०% बोयर	कि.ग्रा.	५५१			८५०
२३४.०३	बोका जमुना पारी, बारबेरी, खरी	कि.ग्रा.	८८२			१२००
२३४.०४	बोका बोयर जातको	कि.ग्रा.				
२३५	उत्त जातको बगुरको पाठापाठी					
२३५.०१	पाठी (न्यूनतम ४५ दिन)	गोटा	५५१२		५५१२	६०००
२३५.०२	पाठा (न्यूनतम ४५ दिन)	गोटा	६०६३		६०६३	६३००
२३५.०३	पाठी (न्यूनतम ६० दिन)	गोटा				७०००
२३५.०४	पाठा (न्यूनतम ६० दिन)	गोटा				७२००
२३५.०३	बगुरको बीर (९० दिन)	गोटा	७७१७		७७१७	८०००
२३६	प्रजननकालागि पालिने पशुपंछी					
२३६.०१	प्रजनन योग्य रांगो मुर्दा जातको	गोटा	११०२५०		११०२५०	११५०००
२३६.०२	प्रजनन योग्य साँढे होलिस्टिन जातको	गोटा	११०२५०		११०२५०	११५०००
२३६.०३	प्रजनन योग्य साँढे जर्सी जातको	गोटा	८८२००		८८२००	९२०००
२३६.०४	प्रजनन योग्य स्थानिय भैंसी	गोटा				८५०००
२३६.०५	प्रजनन योग्य मुर्दा भैंसी	गोटा				१२००००
२३६.०६	प्रजनन योग्य स्थानिय गाई	गोटा				३५०००
२३६.०७	स्थानिय कुखुरा भाले	केजी				८००
२३६.०८	स्थानिय कुखुरा पोथी	केजी				६००
२३७	Steel Door and Window					
२३७.०१	१००*२१०० Steel Door set with frame ५० T Thickness	सेट	२१६३०		२१६३०	२१६३०
२३७.०२	१०००*२१०० Steel Door set with frame ५० T Thickness	सेट	२२६६०		२२६६०	२२६६०
२३७.०३	१०००*२१०० ABS Door set with frame ५० T Thickness	सेट	१८५४०		१८५४०	१८५४०
२३७.०४	१०००*२१०० Panel Door set with frame ५० T Thickness	सेट	१४४२०		१४४२०	१४४२०
२३७.०५	११५mm Window set with frame ५० T Thickness	सेट	९००		९००	९००
२३८	Flush Door					
२३८.०१	Glossy	ब.फु.	२७५		२७५	२७५
२३८.०२	Maat	ब.फु.	२६०		२६०	२६०
२३९	Non Asbestos Sheet					


 रामलाल जैसवाल
 नगर प्रमुख


 रामलाल जैसवाल
 नगर प्रमुख



२३९.०१	1050mm overall width,6mm thickness-Normal	र.मी.	५७५	५७५	५७५
२३९.०२	1050mm overall width,6mm thickness-Coloured	र.मी.	६७५	६७५	६७५
२३९.०३	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso including 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				
	75mm thick	व.फु.	३१५	३१५	३१५
	50mm thick	व.फु.	२५०	२५०	२५०
२५०	Interior and Finishing Materials				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	४०००	४०००	४०००
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	३०००	३०००	३०००
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१४००	१४००	१४००
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१३००	१३००	१३००
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm	२७००	२७००	२७००


रामलाल इगोरा थावर
नगर प्रमुख

रामलाल इगोरा थावर
नगर प्रमुख



C	Material for Wall	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm	१५३००	१५३००	१५३००		
				TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
				150X150Tile	Pcs	२८००	२८००	२८००
				150X300 Tile	Pcs	३५००	३५००	३५००
		300X300 Tile	Pcs	४०००	४०००	४०००		
D		Ceiling Work						
1.00		DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm	२५०००	२५०००	२५०००		




 रामलाल डगौरा थाए
 नगर प्रमुख


 डी.पी.एस. अ.सि.डी.ए. अ.सि.डी.ए.

E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm	४५०००	४५०००	४५०००
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm	१०००००	१०००००	१०००००
२४१	Concrete Admixture, Water Proofing Systsem Integral				
२४१.०१	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg	१३००	१३००	१३००
२४१.०२	Protective polyurethane sealer Fosroc Promeseal	Ltr	५००	५००	५००
२४१.०३	High Performance water repellent Paint	Ltr	११००	११००	११००
२४१.०४	Concrete curing aid- Fosroc Concure WB	Kg	४५०	४५०	४५०
२४१.०५	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg	३२०	३२०	३२०
२४२.००	PVC -O pipe				
242.10	Class 500 PVC -O pipe -PN 12.5				

रामलाल डगौरा प्रमुख

रामलाल डगौरा थाए
नगर प्रमुख



	90mm	र.मि	७३०	७३०	७३०
	110mm	र.मि	११५०	११५०	११५०
	125mm	र.मि	१४५०	१४५०	१४५०
	140mm	र.मि	१७५०	१७५०	१७५०
	160mm	र.मि	२२००	२२००	२२००
	200mm	र.मि	३५००	३५००	३५००
	225mm	र.मि	४४००	४४००	४४००
	250mm	र.मि	५२००	५२००	५२००
	315mm	र.मि	८५००	८५००	८५००
	355mm	र.मि	१०८००	१०८००	१०८००
	400mm	र.मि	१४०००	१४०००	१४०००
	450mm	र.मि	१९०००	१९०००	१९०००
	500mm	र.मि	२२७००	२२७००	२२७००
	630mm	र.मि	३६०००	३६०००	३६०००
	800mm	र.मि	५८०००	५८०००	५८०००
	1000mm	र.मि	११००००	११००००	११००००
	1200mm	र.मि	१५००००	१५००००	१५००००
242.20	Class 500 PVC -O pipe -PN 16				
	90mm	र.मि	८५४	८५४	८५४
	110mm	र.मि	१२६०	१२६०	१२६०
	125mm	र.मि	१५५०	१५५०	१५५०
	140mm	र.मि	१९५०	१९५०	१९५०
	160mm	र.मि	२६००	२६००	२६००
	200mm	र.मि	४०००	४०००	४०००
	225mm	र.मि	४९५०	४९५०	४९५०
	250mm	र.मि	६३००	६३००	६३००
	315mm	र.मि	९६००	९६००	९६००
	355mm	र.मि	१२७००	१२७००	१२७००
	400mm	र.मि	१६०००	१६०००	१६०००
	450mm	र.मि	२२५००	२२५००	२२५००
	500mm	र.मि	२७५००	२७५००	२७५००
	630mm	र.मि	४६५००	४६५००	४६५००
	800mm	र.मि	७५०००	७५०००	७५०००


 नगरपालिका कार्यालय, धरम
 धरम



 रामलाल डगौरा थारु
 नगर प्रमुख



२४३.३	ELBOW 45 degree(PN-16)												
		११०	गोटा	८४८५	८४८५	८४८५	८४८५	८४८५	८४८५	८४८५	८४८५	८४८५	८४८५
		१६०	गोटा	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०	१८५७०
		२००	गोटा	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८	३३६५८
		२५०	गोटा	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४	५५२०४
		३१५	गोटा	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०	९७९५०
		४००	गोटा	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४	१८९७४४
२४३.४	ELBOW 90 degree(PN-16)												
		११०	गोटा	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०	१२०५०
		१६०	गोटा	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३	२४१४३
		२००	गोटा	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७	४३४१७
		२५०	गोटा	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८	७२३१८
		३१५	गोटा	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०	११२६४०
		४००	गोटा	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७	२२५७९७
२४३.५	Coupler (PN -16)												
		११०	गोटा	७३५९	७३५९	७३५९	७३५९	७३५९	७३५९	७३५९	७३५९	७३५९	७३५९
		१६०	गोटा	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३	१३१२३
		२००	गोटा	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८	१८९६८
		२५०	गोटा	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२	३५५०२
		३१५	गोटा	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६	६७२९६
		४००	गोटा	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८	१४९१५८

माथि उल्लेखित आईटम हरु भन्दा थप आईटमहरु आवश्यक परेमा बजार बाट तिनवटा दररेट माग गरी सो मध्येबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ.ब. ०८०/८१ को दररेट	आ.ब. ०८१/८२ को दररेट	कैफियत
१.००	WINDOWS - 2 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles	100 Series	Sqm	8000	8000	
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary	Frame - 101.3 x 44 x 1.3				
		101.3 x 41.5 x 1.3				


रामलाल ज्योती थाप
नगर प्रमुख


रामलाल ज्योती थाप
नगर प्रमुख



Hardware etc	101.3 x 44.6 x	8050	8050	8050			
	(5mm clear/ Colour Glass)						
	1.3						
	Palla - 50 x 28 x 1.0 64 x 31.3 x 1.0 76.2 x 28 x 1.0						
२.००	WINDOWS - 2 Pannel Sliding, with Fix Ventilation	Sqm	8050	8050			
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles						
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc						
	1.3						
	101.3 x 41.5 x						
	1.3						
	(5mm clear/ Colour Glass)						
	1.3						
	Palla - 50 x 28 x 1.0 64 x 31.3 x 1.0 76.2 x 28 x 1.0						
	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation				Sqm	8715	8715
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles						
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc						
1.3							
101.3 x 41.5 x							
1.3							
(5mm clear/ Colour Glass)							
1.3							
Palla - 50 x 28 x 1.0 64 x 31.3 x 1.0 76.2 x 28 x 1.0							
४.००	WINDOWS - 2 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Sqm	8231.4	8231.4			
	Frame - 101.3 x 44 x 1.5						

रामलाल डगौरा धार
नगर प्रमुख

(Signature)



4.00	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	1.5	101.3 x 41.5 x	Sqm	8918	8918
		1.5	101.3 x 44.6 x			
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
4.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	1.5	101.3 x 41.5 x	Sqm	8918	8918
		1.5	101.3 x 44.6 x			
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
4.00	WINDOWS - 3 Pannel Sliding with FIX Ventilation Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	1.5	101.3 x 41.5 x	Sqm	10168	10168
		1.5	101.3 x 44.6 x			
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
9.00	WINDOWS - 2 Pannel Sliding,	1.5	101.3 x 41.5 x	Sqm	7263	7263
		1.5	101.3 x 44.6 x			
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
9.00	90 Series			Sqm	7263	7263


रामलाल डगौरा धार
नगर प्रमुख

(Handwritten Signature)



	Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	Frame - 87 x 40 x 1.2						
		87 x 56 x 1.2						
		90 x 43 x 1.2						
		Palla - 50 x 27 x 1.0 60 x 27 x 1.0 62 x 31 x 1.0						
₹.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	90 Series						
		Frame - 87 x 40 x 1.2						
		87 x 56 x 1.2						
		90 x 43 x 1.2 Palla - 50 x 27 x 1.0 60 x 27 x 1.0 62 x 31 x 1.0						
₹.00	WINDOWS - 2 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	90 Series						
		Frame - 87 x 40 x 1.5						
		87 x 56 x 1.5						
		90 x 43 x 1.5 Palla - 50 x 27 x 1.2 60 x 27 x 1.2 62 x 31 x 1.2						
₹0.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	10222	10222	7700	7700	7700



 रामलाल डगौरा थाप
 नगर प्रमुख



 रामलाल डगौरा थाप
 नगर प्रमुख



91.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	Frame – 87 x 40 x 1.5	Sqm	8688.70	8688.70
		87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
62 x 31 x 1.2					
92.00	WINDOWS – 3 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	90 Series	Sqm	8688.70	8688.70
		Frame – 87 x 40 x 1.2			
		87 x 56 x 1.2			
		90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
60 x 27 x 1.0					
62 x 31 x 1.0					
93.00	WINDOWS – 3 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	90 Series	Sqm	9200	9200
		Frame – 87 x 40 x 1.5			
		87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
60 x 27 x 1.2					
62 x 31 x 1.2					
94.00	DOORS – Hinge Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series	Sqm	8339	8339




 रामलाल डगौरा थाए
 नगर प्रमुख


 ಶಿಬಿರೇ ಅಶೋಕ ಶಿಬಿರೇ ಅಶೋಕ

18.00	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Frame – 101 x 45 x 1.0	Sqm	9684	9684	11298
		Palla - 48 x 45 x 1.0				
18.00	DOORS – Hinge Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Profiles. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	100 Series	Sqm	9684	9684	11298
		Frame – 101 x 45 x 1.3				
		Palla - 48 x 45 x 1.0				
		100 Series				
18.00	DOORS – Hinge Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Profiles. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	100 Series	Sqm	11298	11298	12374
		Frame – 101 x 45 x 1.5				
		Palla - 83 x 44 x 1.2				
		48 x 45 x 1.0				
18.00	DOORS – Floor Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series	Sqm	12374	12374	12374



रामलाल उग्रा शाह
नगर प्रमुख

रामलाल उग्रा शाह
नगर प्रमुख


Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame - 101 x 45 x 1.3	Sqm	11298	11298	6550
	Palla - 83 x 44 x 1.2				
	48 x 45 x 1.0				
FLOOR SPRING - openable with both side	100 Series				
DOORS - SLIDING Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Profiles. Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Frame - 101 x 45 x 1.2	Sqm	11298	11298	6550
	Palla - 64 x 28 x 1.2				
	50 x 28 x 1.2				
VENTILATION - Fixed Fabrication/LOUVER Natural Anodised/ Black Anodised/ White Powder Coated Profiles with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber	Frame -101*45*1.2	Sqm	6550	6550	6550
VENTILATION - Fixed Fabrication/LOUVER Natural Anodised/ Black Anodised/ White Powder Coated Profiles with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber	Frame -63.3*37*1.0	Sqm	5918	5918	5918
Partation - Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium with necessary hardware	Frame -101*45*1.2	Sqm	6994	6994	6994


रामलाल डगौरा थारु
नगर प्रमुख

रामलाल डगौरा थारु
नगर प्रमुख



	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)							
२१.००	Partation - Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium with necessary hardware (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Frame -63.3*37*1.0	Sqm	5918	5918	5918		
२२.००	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support support 1.5" steel pipe	r.ft	1080	1080	1080		
२३.००	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	900	900	900		
२४.००	Fabrication of Steel Railing with 2 row of steel pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	735	735	735		
२५.००	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5" with support 1.5" steel pipe	Sq.ft	577	577	577		
२६.००	Fabrication of Steel Gate, Steel Furniture like Bench, Arching Table, Modular Rack and all kinds of Steel Furniture @kg		kg	493	493	493		
२७.००	Powder coated MS door/Window/Ventilation of Frame size 100mmX50mm with 1.6mm thick moulded iron sheet including hold fast, Hinge.		sqft	290	290	290		
२८.००	Powder coated Iron Window/Ventilation glazed shutter of Frame size 70mmX25mm with 1.0mm thick moulded iron sheet including 4mm glass and accessories and fitting all complete		sqft	650	650	650		


रामलाल डगौरा धार
नगर प्रमुख


रामलाल डगौरा धार
नगर प्रमुख



२९.००	Powder coated Iron Window/Ventilation mesh shutter of Frame size 38mmX20mm including accessories and fitting all complete	sqft	490
-------	---------------------------------------------------------------------------------------------------------------------------	------	-----

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी)को

क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	इकाई	आ.ब. ७९/८० को दररेट	आ.ब. ८०/८१ को दररेट	आ.ब. ८१/८२ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	३०१७	३०१७	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२९२०	२९२०	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२८००	२८००	२८००
ए.	२१३	११.८	५५	१२१.०	"	२७२३	२७२३	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२६२१	२६२१	२६२१
जम्मा	११४६	६२.५						
बि.	१९६	११.०	६१	९०.५	"	२२००	२२००	२२००
बि.	१८४	१०.५	५९	९०.५	"	२१४०	२१४०	२१४०
बि.	१७०	१०.०	५७	९०.५	"	२०५४	२०५४	२०५४
बि.	१६०	९.५	५५	९०.५	"	१९८९	१९८९	१९८९
बि.	१४८	९.०	५३	९०.५	"	१९१४	१९१४	१९१४
जम्मा	८५८	५०.०						
सी.	१४८	९.०	५३	९०.५	"	१९९३	१९९३	१९९३
सी.	१३६	८.५	५१	९०.५	"	१९२८	१९२८	१९२८
सी.	१२४	८.०	४९	९०.५	"	१८००	१८००	१८००
सी.	११२	७.५	४७	९०.५	"	१७००	१७००	१७००
सी.	७५	६.०	३८	९०.५	"	१४१२	१४१२	१४१२
जम्मा	५९५	३९.०						


रामलाल डौरा थारु
नगर प्रमुख


रामलाल डौरा थारु
नगर प्रमुख



आ.व.२०८१/०८२ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	२०	१८	१६	१५	
ख	१३	१२	१०.५	९.५	
ग	११	१०	८	६	
घ	१०	८	६	५	

क्षेत्रको विवरण

क	वडा नं. १ सिटी बसपार्क देखि बसपार्क सम्म (खक्रौला सडक)संग जोडीएका घरहरु
ख	वडा नं. १ (क) मा उल्लेखित क्षेत्र भन्दा १कि.मि. सम्म भित्रि भागमा रहेका घरहरु
ग	वडा नं. १ (क) र (ख) मा उल्लेखित क्षेत्र भन्दाबाहेकका भागमा रहेका घरहरु
घ	माथि उल्लेखित बाहेकका वडा नं. २ देखि ९ को क्षेत्रहरूमा रहेकाघरहरु

घरको किसिमको विवरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा इन्धन बाहेक प्रति दिन रु	३५००	without AC
	४५००	with AC

१४.१० विभिन्न साईजका मेशीन मेड गेवियन जालीहरूको आ.ब. २०८१/८२ को दररेट

Machine Made and mechanically selvedged Double twist hexagonal mesh product

Specification	
Mesh Type	10x12
Wire mesh Dia	3.00 mm
Selvedge wire dia	3.90 mm
Lacing Wire Dia	2.40 mm
Type of Coating	Heavy Zinc Coating

राम पार्लोत एरिया
राम पार्लोत एरिया

रामलाल डगौरा थारु
नगर प्रमुख



S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

विपद् सामाग्रीहरूको नगर दररेट आ.व. २०८१/०८२

क्र.सं.	विपद् सामाग्रीको नाम	स्पेसिफिकेसन	एकाई	आ.व.२०७४/०८० को दररेट प्रति एकाई दर रु.	आ.व.२०८०/०८१ को दररेट प्रति एकाई दर रु.	आ.व.२०८१/०८२ को दररेट प्रति एकाई दर रु.	कैफियत
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने						
1	Safety helmet	हेल्मेट	थान	350	350	350	
2	Gaiti with wood handle	गैती	थान	550	550	550	

रामलाल डगौरा थापा
नगर प्रमुख

रामलाल डगौरा थापा
नगर प्रमुख



3	Belcha with handle	सावेल	Medium size (Metal handle)	थान	450	450	450
4	Axe with wooden handle	बन्चरो	Axe size 16*10 cm - (+3kg)	थान	550	550	550
5	Two Hand Saw	आरा	Size : Big (5 Feet)	थान	1000	1000	1000
6	Sabbal	गल	Size : Big	थान	1350	1350	1350
7	Agricultural spade with handle	फरुवा	Regular size (metal handle)	थान	500	500	500
8	Hammer with handle (Ghan)	घन	5 kg	थान	1500	1500	1500
9	Aasi	आसी	Size : Big	थान	1500	1500	1500
10	Hand wood cutter machine Chain Saw	काठ काटने मेसिन	Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	15000	15000	15000
11	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन	2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	थान	25000	25000	25000
12	bold cutter	आईरन रड कटर	Medium Size	थान	2500	2500	2500
13	Knee Pad		घुडामा लगाउने	थान	250	250	250
14	Head search light with battery	हेड लाईट	Halogen 55 W ABS LED Search Lights	थान	750	750	750
15	Power torch light	पावर टर्च लाईट	Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	1500	1500	1500
16	Come along machine		Capacity: not less than 4 ton	थान	6000	6000	6000
17	Hydraulic Jack		Capacity: 20 ton	थान	4000	4000	4000
18	plastic rope	नाईलन डोरी	10-20mm diameter , More than 100 metre	थान	2500	2500	2500
19	Anti Dust Glass		UV protection, Liquid splash protection	थान	500	500	500
20	Scene Tape (Barricade Tape)		100 meter Roll	थान	1000	1000	1000
21	Mega Phone	मेगाफोन	Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargeable & battery use also Weight : not less than 1.5kg	थान	4500	4500	4500



(Signature)

रामलाल डगौरा थाह
नगर प्रमुख

(Signature)
रामलाल डगौरा थाह

22	Crow bar	क्रो वार	Usage : Public Meetings, Gathering, Tourist Palce Announcing Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	थान	1000	1000	1000
23	Back board (Stretcher) Spinal board		Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	थान	4500	4500	4500
24	Electric Cord		100 meter	थान	4000	4000	4000
25	Tools box with tools			थान	3000	3000	3000
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappelling & clambing equipment)						
1	Sit Harness Belt	सिट हर्निस बेल्ट	Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckling system Laminasted, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front doble thickness	थान	4000	4000	4000

प्रमुख प्रशासक/प्रमुख
रामलाल डगौरा थाप
नगर प्रमुख



मा प्रयोग हुने									
1	Life Jacket	लाईफ ज्याकेट		थान	3000	3000	3000	3000	3000
2	Throw bag		The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	1500	1500	1500	1500	1500
3	Life bouy rescue tube	लाईफ व्वाय रेस्क्यु ट्युब	Size : 29*29*4	थान	3000	3000	3000	3000	3000
4	Bora	कटा	30 kg	थान	25	25	25	25	25
5	Gum boot for water		Size : Medium & Big	थान	1000	1000	1000	1000	1000
6	Rain Coat		Size : Medium & Big	थान	2500	2500	2500	2500	2500
7	Water Glasses		Liquid splash protection	थान	100	100	100	100	100
8	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	850	850	850	850	850
9	Water Rescue shoes			थान	1000	1000	1000	1000	1000
10	Tripal		18*24 ft.	थान	1700	1700	1700	1700	1700
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने								
1	Fire extinguisher	अग्नी सामक यन्त्र	Type ABC Powder, more than 5 kg	थान	4500	4500	4500	4500	4500

रामलाल डगौरा थारु
नगर प्रमुख

रामलाल डगौरा थारु
नगर प्रमुख



			cy/lender				
2	Fire fighter shoot	फायर फाईटर सुट	Jacket, Paint & Helmet	थान	7000	7000	7000
3	Stell Bucket	फलामे वाल्टी	More than 8 liter	थान	700	700	700
4	Fire Saftey Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	800	800	800
5	Aluminium ladder	आलमुनियम ल्याडर	Not less than 12 ft.	थान	15000	15000	15000

विरुवाहरुको नगर दररेट आ.व. : २०८१/०८२

क्र.सं	विरुवाको प्रजाती	एकाई	आ.व.२०७९/०८० को दररेट प्रति एकाई दर रु.	आ.व.२०८०/०८१ को दररेट प्रति एकाई दर रु.	आ.व.२०८१/०८२ को दररेट प्रति एकाई दर रु.	कैफियत
1	अमला	गोटा	१५	१५	१६	
2	पारिजात ३ फिट माथी	गोटा	३२५	३२५	३३३	
3	गोल्डमोहर	गोटा	२००	२००	२०५	
4	वाँस कलमी २ बर्ष	गोटा	५००	५००	५१२	
5	श्रीखण्ड १ फिट माथी २ बर्ष	गोटा	३००	२८०	२८७	
6	रक्तचन्द्र १८ ईन्च २ बर्ष	गोटा	३००	२८०	२८७	
7	रुद्राक्ष २ फिट माथी २ बर्ष	गोटा	५२५	५१०	५६३	
8	समी ४ फिट माथी	गोटा	६००	६००	६१५	
9	कपुर ३ फिट माथी	गोटा	३००	३००	३०७	
10	राजवृक्ष ३ फिट माथी	गोटा	३००	३००	३०७	
11	अगर उड	गोटा	२५०	२५०	२५६	
12	गुर्जो	गोटा	६०	६०	६२	
13	अमपाली २ वर्ष विरुवा	गोटा	२५०	१३०	१३३	
14	आँप निलम बहुवर्षिय	गोटा	२५०	१३०	१३३	

रामलाल डगौरा थार
नगर प्रमुख



15	आँप मलिका बहुवर्षिय	गोटा	२५०	१३०	१३३
16	आँप अन्य जात	गोटा	१५०	१००	१०२
17	लिची सबैजात	गोटा	२५०	१०५	१०७
18	कागती सबैजात	गोटा	५०	६०	६२
19	सुन्तला सबैजात	गोटा	५०	६०	६२
20	भेटिभर स्लिप	गोटा	१००	९०	९०
21	बिजयसाल	गोटा	५०		७५
22	बेतबांस	गोटा			३५
23	सतिसाल	गोटा			७५
24	टिमुर	गोटा			८५
25	केरा टिस्यूकल्चर बिरुवा	गोटा			४५

माथि उल्लेखित आईटम हरु भन्दा थप आइटमहरु आवश्यक परेमा बजार बाट तिनिवटा दररेट माग गरी सो मध्येबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।
नोट: उल्लेखित दररेटमा मुल्य अभिवृद्धि कर (VAT) समावेश गरिएको छैन ।



पशुपत प्रशासकीय अधिकृत
 पशुपत प्रशासकीय अधिकृत

रामलाल डगौरा थाप
 नगर प्रमुख